



**2023
Seed
Guide**

Eastern Canada



A World of Soybean

Each year, Prograin exports soybeans with exceptional food features throughout the globe and are proudly produced by local producers.

Soy products, such as tofu and soy beverages, are increasingly popular because of their rich protein content. They fit perfectly in the current global plant-based food trend.

Do you want to stand out?

Increasing your profitability and feeding millions of people globally is what our program offers.

As a producer, this entails significant advantages:

- **PREMIUM** varieties for a higher yield per acre
- **100% BUY BACK** of your crop
- Agronomic **PERFORMANCE** of Quali-Pro and IP varieties



Quali-Pro®

Specialty seeds
to increase
your profitability

High protein Quali-Pro
variety which competes
with high yielding
IP varieties

AYA

2675 CHU (RM 0.5) High Protein



Expert Notes

- ✓ The highest yielding high protein variety in RGCQ 30" row width trial
- ✓ Performs well in low population environments
- ✓ Production of large leaves early in the season helps close the canopy quickly

« A variety with the potential to impress you with its grain qualities and above all will give you high economic returns and financial advantages! »


Maxime Gratton, agr.
District Sales Manager, Western Québec



Management Pointers

Plant in all soil types
regardless of spacing
Monitor carefully in very fertile soils
Calibrate seed drill adequately
(large seed)

Phytophthora: Rps 3a
SCN: Sensitive



- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9




Maya

2475 CHU (RM 00.7) High Protein


- The perfect variety for producers in an early zone who want to initiate themselves to non-GMO soybeans
- Fantastic early season growth producing large trifoliates
- A robust stem, excellent standability and very good spring vigour
- It is often said that the look does not replace performance, but this variety brings the two together!

Management Pointers

- Plant in all soil types
- Pay attention in very fertile soils with manure management
- Preferred planting width at 15" spacing or less



Performs well agronomically and financially in early maturity zone



Medium slender
Medium-short

Phytophthora: Rps 1c
SCN: Sensitive

Standability

1 2 3 4 5 6 7 8 9

Sclerotinia tolerance

1 2 3 4 5 6 7 8 9

Stability – adaptability

1 2 3 4 5 6 7 8 9

Vigour for no-till

1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing

1 2 3 4 5 6 7 8 9


Hana

2575 CHU (RM 0.1) High Protein

- High yield potential and stable year after year
- Robust stem, excellent standability
- Very good *Sclerotinia* tolerance

Management Pointers

- Preferred planting width at 15" spacing or less
- Grow in either conventional or organic crop management systems
- 30" row spacing in organic production only**
- Plant in highly fertile soils for optimal yield



PREFERRED FOR
organic
PRODUCTION

This hardy variety dominates agronomically and financially



Medium slender
Medium-short

Phytophthora: None
SCN: Sensitive

Standability

1 2 3 4 5 6 7 8 9

Sclerotinia tolerance

1 2 3 4 5 6 7 8 9

Stability – adaptability

1 2 3 4 5 6 7 8 9

Vigour for no-till

1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing

1 2 3 4 5 6 7 8 9


Konatto

2600 CHU (RM 0.3) Natto


- Excellent plant fertility
- Very good standability
- Good *Sclerotinia* tolerance for a Natto type
- Most economical seeding on the market

Management Pointers

- Sow in fertile soil with good structure
- Choose level fields with good drainage
- Plant approximately 1" deep
- Pay particular attention to seed drill and combine adjustments



Small seed, generous premium, good positioning: all key factors for maximum profitability



Semi-bushy
Medium-short

Phytophthora: None
SCN: Sensitive

Standability

1 2 3 4 5 6 7 8 9

Sclerotinia tolerance

1 2 3 4 5 6 7 8 9

Stability – adaptability

1 2 3 4 5 6 7 8 9

Vigour for no-till

1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing

NR


Alynatto

2650 CHU (RM 0.5) Natto

- High yield potential with high profitability
- Adapted to all soil types
- Good standability and healthy plant all season long

Management Pointers

- Pay particular attention to seed drill and combine adjustments
- Plant approximately 1" deep and roll afterward
- Sow in fertile well-structured soil to maximize profitability



New ultra-high-performing Natto variety offers great stability



Semi-bushy
Medium-short

Phytophthora: None
SCN: Sensitive

Standability

1 2 3 4 5 6 7 8 9

Sclerotinia tolerance

1 2 3 4 5 6 7 8 9

Stability – adaptability

1 2 3 4 5 6 7 8 9

Vigour for no-till

1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing

1 2 3 4 5 6 7 8 9


Hola

2675 CHU (RM 0.5) High Protein

- Very productive secondary branches
- Strong stem with outstanding standability
- Good plant fertility and good yield stability

Management Pointers

- Optimal spacing at 15"
- Grows in all crop management systems
- Well adapted to all soil types



A new variety that will amaze you with its stability and yield



Semi-bushy
Medium-tall

Phytophthora: Rps 1c/3a
SCN: Sensitive

Standability

1 2 3 4 5 6 7 8 9

Sclerotinia tolerance

1 2 3 4 5 6 7 8 9

Stability – adaptability

1 2 3 4 5 6 7 8 9

Vigour for no-till

1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing

1 2 3 4 5 6 7 8 9


Quenatto

2700 CHU (RM 0.6) Natto

- Most economical seed cost on the market
- Medium-tall plant, with good stem and excellent standability
- Stable performance since its introduction

Management Pointers

- Sow in fertile well-structured soil
- Plant approximately 1" deep
- Pay particular attention to seed drill and combine adjustments



Superior Natto-type yield



Semi-bushy
Medium-tall

Phytophthora: None
SCN: Sensitive

Standability

1 2 3 4 5 6 7 8 9

Sclerotinia tolerance

1 2 3 4 5 6 7 8 9

Stability – adaptability

1 2 3 4 5 6 7 8 9

Vigour for no-till

1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing

1 2 3 4 5 6 7 8 9

Black Gold




2750 CHU (RM 0.8) Black Soybean

- Medium-tall plant best suited for 15" rows or less
- Yield similar to a Natto type
- Very exciting marketing program

Management Pointers

- Sow in well-structured, well-drained soil
- Monitor seeding depth, aim for 1"
- Pay careful attention to cleaning the seeder and combine
- Prefers intensive crop management



Semi-bushy
Medium-short

Black seed coat & green pulp: a variety unique to Canada

- Phytophthora: NA
- SCN: NT
- Standability 1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance 1 2 3 4 5 6 7 8 9
- Stability – adaptability 1 2 3 4 5 6 7 8 9
- Vigour for no-till 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing 1 2 3 4 5 6 7 8 9

Hakata




2750 CHU (RM 0.9) Tofu

- Good-sized plant, well adapted to 30" spacing
- Good standability and good spring start
- Profitable yield and marketing program

Management Pointers

- Sow in fertile well-drained soil for best performance
- Plant approximately 1.5" deep
- Pay particular attention to seed drill calibration and performance (large seed)



Semi-bushy
Medium-tall

Leading variety on export markets for tofu production

- Phytophthora: Rps 1c
- SCN: Sensitive
- Standability 1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance 1 2 3 4 5 6 7 8 9
- Stability – adaptability 1 2 3 4 5 6 7 8 9
- Vigour for no-till 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing 1 2 3 4 5 6 7 8 9

CLUB
Quali-Pro®
Stand out from
the crowd !

When you qualify for the Quali-Pro Club, you benefit from numerous privileges:

- \$8/acre* premium paid to the producer or to the contract harvester of grade No.1 soybeans
- Priority access to new varieties developed by Prograin, and to certain events
- Technical training, cost-of-production exercise and much more

* Harvest quality premium for Quali-Pro varieties.

The soy produced and exported by Prograin helps feed 26 million people around the globe.



Soybeans proudly developed and produced here are exported to more than 13 countries. These are thousands of soybean containers that, once harvested, will be processed, packaged and shipped abroad. Something to be proud of!

The Quali-Pro and IP varieties: The top choices of wise producers!

PREMIUMS

- ✓ Profitability studies show that there is a financial advantage to produce conventional.

We advise you to conduct a profitability study by integrating the variety premiums and other programs offered to you, in order to discover for yourself the additional profitability of conventional soybeans.

PERFORMANCE of Quali-Pro and IP varieties

- ✓ Prograin develops adapted, proven and high-performance varieties thanks to our research centre. More than 60,000 varieties are observed each year, in order to find those that will bring you a better profitability.

100% BUY-BACK of the harvest

- ✓ The constant international demand for quality soybeans guarantees 100% buy-back of the harvest through our team. We are dedicated to support you in your marketing and transport logistics as needed.

FEED THE WORLD

- ✓ Producing high-quality soybeans for human consumption also fuels pride!

***Prograin your
Soy Expert***

Our IP seed line ranks among the best according to results from the *Réseau Grandes Cultures du Québec (RGCQ)* and the Ontario Soybean Variety Trials (OSVT).



First rate
performance

Top yielding variety
is even superior
to Ezra!

Wilma* NEW

2750 CHU (RM 0.8)



« An outstanding variety that will surpass
all your expectations »

Marc Saumure, CCA-ON, DTA
District Sales Manager, Eastern Ontario and Maritimes




* Previously Alexa

Management Pointers

- Reduce plant population in coarse soils and in rich soils
- Well adapted to all soil types and crop management practices
- Position in 15" to 30" rows

Phytophthora: Rps 1c/3a
SCN: Sensitive



Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9



Semi-bushy
Medium-tall

Expert Notes

- ✓ Explosive yielding variety whether planted in 15 inches or wide rows
- ✓ The TOP yielding variety in RGCQ One year Summary – Average of 4 testing stations in 2021
- ✓ Geographically widely adapted to Eastern Canada regions


Siberia

2375 CHU (RM 00.2)

- Strong and stable performer in early maturing zone
- Good standability
- Great opportunity to raise the profitability of soy in northern zones

Management Pointers

- Plant in well-drained soil
- Prefers seeding in narrow rows
- Good yield in dense populations



Slender
Medium-short

Top-performing variety in zones with 2500 CHU or less

Phytophthora: Rps 1a
SCN: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
NR



Asana

2700 CHU (RM 0.6)

- Very productive secondary branches
- High yield potential

Management Pointers

- Prefers loamy soils
- Optimal row spacing 15"
- Plant in fertile and well-drained soil



Semi-bushy
Medium-tall

Valued by growers and international buyers

Phytophthora: Rps 1c
SCN: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Marula



2700 CHU (RM 0.6)

- Healthy plant and good fertility throughout the season
- Offers stability and performance in all environments

Management Pointers

- Plant in all soil types, regardless of crop management system (very popular with organic growers)
- Choose 15" seeding for best performance
- Seed in 30" rows only in organic production

PREFERRED FOR
organic
PRODUCTION



Semi-bushy
Medium-tall

In high demand since its introduction and prized for its great stability

Phytophthora: Rps 1c
SCN: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9


Ezra

2725 CHU (RM 0.8)

- Top yield in its group in both RGCQ and OSVT (3 year average)
- Very vigorous plant and good standability
- Good Sclerotinia tolerance

Management Pointers

- Plant in all soil types
- Grow in any crop management system
- Prefers 15" to 30" rows



Semi-bushy
Medium-tall

Highest rate of return in Québec as well as in Ontario

Phytophthora: Rps 3a
SCN: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9



Acuna*

2775 CHU (RM 0.9)

- Similar height to Ezra
- Very fertile plant with above-average number of nodes
- One of the top varieties in RGCQ 30" row trials (2 year summary)

Management Pointers

- Well adapted to all row spacing
- Better adapted to loamy soils



Semi-bushy
Medium-tall

Variety with high yield potential and standability you dream about

Phytophthora: Rps 1c
SCN: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

* Previously Luna


Acora

2800 CHU (RM 1.0)

- Vigorous healthy plants
- Well adapted for no-till systems and clay soils
- Stable performance in adverse conditions

Management Pointers

- Plant in all soil types
- Appropriate for all crop management systems
- Best suited for 15" to 30" rows



Semi-bushy
Tall

Highly valued for its remarkably stable performance

Phytophthora: Rps 1c
SCN: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

NEW

Mya*

2825 CHU (RM 1.2)

Tall variety with productive branches

1st Prograin IP variety with SCN resistance gene

Good stability across all research locations

Management Pointers

Prefers 15" to 30" row spacing

Great fit for no-till systems

Prefers loamy soils and clay soils

SCN PROTECTION

Row spacing (in)
14 30

Semi-bushy
Tall

Strong performing clay bean with SCN protection

Phytophthora: Rps 1c
SCN: SCN (PI88788)

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Previously Lyana

Atena

2825 CHU (RM 1.2)

High yield potential

Robust plant with good branching capacity

Stable height, regardless of soil type

Management Pointers

Plant in fertile soil

Prefers 15" to 30" spacing

Opt for 15" rows in minimum/no-till systems

Plant in its relative maturity zone

Follow suggested seeding rate

PREFERRED FOR
organic
PRODUCTION

Row spacing (in)
14 30

Semi-bushy
Medium-short

Superior agronomic performance
and desirable nutritional qualities

Phytophthora: Rps 1c/3a
SCN: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Our high profitability soybean lines

Quali-Pro Soybean

7%
ACRE

Quality soybean premium*

Transportation allowance*

Exclusive privileges

Highly competitive fixed variety premiums*

PAID STORAGE

Paid storage*

Unparalleled technical service

Peace of mind protection

Some conditions apply.

Organic soybeans,
a crop that pays off

Meet rising market demand and opt for our preferred organic varieties. Benefit from numerous advantages, including the option to maximize your crop buyback.

PREFERRED FOR
organic
PRODUCTION

IP Soybean

Superior performance

Competitive fixed variety premiums

Logistics service adapted to your needs

TURBO-N2^{MC}

Liquid Inoculant

One of the few inoculants approved for organic production

Liquid inoculant is packaged in flexible leakproof containers. It can be used right in the seeder box or attached to the gravity box with a grain auger when loading the seed.

Application rate
One container of 2L treats 750 kg of seed (*30 bags depending on seed size or the equivalent of a large tote bag of Prograin soybean seeds)

Peat Inoculant

The only inoculant in Canada with a shelf life of two years

A high-performance inoculant that adheres to the seed and comes in two convenient sizes: 750 g and 2.25 kg. Once applied to the seed it has a life span of 24 hours.

Application rate
750 g treats 250 kg of seed (*10 bags depending on seed size)
2.25 kg processes 750 kg of seed (*30 bags depending on seed size or the equivalent of a large tote bag of Prograin soybean seeds)

AC Brio

Bread Wheat

Early-maturing bread wheat that is already well-established in Eastern Canada

Characteristics

- Hard red spring wheat and beardless
- Very good standability
- Average height
- Early heading and maturity
- High specific weight
- Remarkable falling number

SEEDING RATE
Thousand Kernel Weight : 39.7 g
7" spacing: 198.5 kg/ha

Management Pointers
Seeding density: 500 seeds/m²
Maximum nitrogen fertilization: 120 to 150 kg/ha including 50 to 70 kg at seeding time
Good soil preparation is important in order to obtain an even stand
Avoid growing wheat after corn or another grain cereal to reduce the risk of Fusarium Head Blight development

Fuzion

Bread Wheat

High yield and medium late maturing bread wheat

Characteristics

- Hard red spring wheat and lightly bearded
- Excellent natural Fusarium tolerance
- Good plant height
- Medium-late heading and maturity
- High specific weight

SEEDING RATE
Thousand Kernel Weight : 39.4 g
7" spacing: 197 kg/ha

Management Pointers
Seeding density : 500 seeds/m²
Maximum nitrogen fertilization: 105 to 130 kg/ha, including 50 to 70 kg at seeding time
Watch out for lodging in intensive crop management situations or in very rich soil
Avoid growing wheat after corn or another grain cereal to reduce the risk of Fusarium Head Blight development

Chambly

6-ROW BARLEY

Barley recognized for it's excellent resistance to lodging and for it's stability

Characteristics

- Superior yield
- Exceptional standability
- Medium-late maturity
- Large kernels
- Medium straw length

SEEDING RATE
Thousand Kernel Weight: 47.0 g
7" spacing : 155 kg/ha

Management Pointers
Seeding density : 330 seeds/m²
Good soil preparation is important in order to obtain an even stand

14 O 2023 Seed Guide — Eastern Canada

Prograin® O 15



Exclusive
innovations
from Prograin

A very productive Enlist E3 variety with excellent standability

Elico E3

2725 CHU (RM 0.7)



Expert Notes

- ✓ Good vigour and excellent spring start
- ✓ Meets the needs of most of the Québec and Ontario regions with its "mid-late" maturity and adaptability
- ✓ Excellent standability for ease of harvest

*"A variety of choice
in the E3 lineup because of its
agronomic characteristics."*


Cody Lemon, CCA - ON
District Sales Manager, Western Ontario



Management Pointers

Caution in poorly drained soils
Prefers 15" to 20" spacing
Reduce population if sown
with 7" row spacing

Phytophthora: Good natural tolerance
SCN: Resistant (PI88788)
BSR: NA




Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9



Semi-bushy
Medium-short


Evo E3

2250 CHU (RM 000.7)

- Good yield potential for a very early variety
- Good standability
- Enlist DUO herbicide and an excellent tool against volunteer canola

Management Pointers

- Plant in conventional soil tillage system
- Prefers 15" spacing or less
- Well-adapted for peripheral areas



Earliest Enlist E3 variety on the market

- *Phytophthora*: None
- SCN: Sensitive
- BSR: NA
- Standability 1 2 3 4 5 6 7 8 9
- *Sclerotinia* tolerance 1 2 3 4 5 6 7 8 9
- Stability – adaptability 1 2 3 4 5 6 7 8 9
- Vigour for no-till 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing NR


Emilio E3

2600 CHU (RM 0.2)

- High yield potential and stable performance, even in less productive soils
- Very good emergence and spring vigour
- Highly adaptable to difficult conditions

Management Pointers

- Plant in soil ranging from loam to clay loam
- Prefers 7" to 15" spacing
- Reduce populations in light or very fertile soils



Variety that offers unrivaled yield and emergence

- *Phytophthora*: Rps 1a/3a
- SCN: Sensitive
- BSR: NA
- Standability 1 2 3 4 5 6 7 8 9
- *Sclerotinia* tolerance 1 2 3 4 5 6 7 8 9
- Stability – adaptability 1 2 3 4 5 6 7 8 9
- Vigour for no-till 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing 1 2 3 4 5 6 7 8 9

Elmo E3

2475 CHU (RM 00.7)

- Very good yield potential for its maturity group
- Remarkably vigorous start

Management Pointers

- Plant in all soil types
- Optimal spacing less than 15"



High performing Enlist E3 variety in its maturity zone

- *Phytophthora*: Rps 1a
- SCN: Resistant (PI88788)
- BSR: Medium Sensitive
- Standability 1 2 3 4 5 6 7 8 9
- *Sclerotinia* tolerance 1 2 3 4 5 6 7 8 9
- Stability – adaptability 1 2 3 4 5 6 7 8 9
- Vigour for no-till 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing NR

Enyo E3

2750 CHU (RM 0.8)

- Excellent vigour and emergence
- Outstanding stress tolerance
- Good standability, above average *Sclerotinia* tolerance

Management Pointers

- Plant in all soil types
- Well adapted to 30" rows
- Plant in no-till or conventional tillage systems



Enlist E3 variety that has all the desired agronomic traits

- *Phytophthora*: None
- SCN: Resistant (PI88788)
- BSR: Resistant
- Standability 1 2 3 4 5 6 7 8 9
- *Sclerotinia* tolerance 1 2 3 4 5 6 7 8 9
- Stability – adaptability 1 2 3 4 5 6 7 8 9
- Vigour for no-till 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing 1 2 3 4 5 6 7 8 9

FOLLOW US!

prograin.ca

in   

Consistency & Performance; A winning formula


Salto R2

2625 CHU (RM 0.4)

- Remarkable *Sclerotinia* tolerance
- Short plant and very good standability
- Excellent spring vigour

Management Pointers

- Sow in fertile soil
- Optimal spacing 7" to 15"



Your best ally for performance in tough conditions



- *Phytophthora*: Rps 1c/3a
- SCN: Sensitive
- BSR: Sensitive
- Standability 1 2 3 4 5 6 7 8 9
- *Sclerotinia* tolerance 1 2 3 4 5 6 7 8 9
- Stability – adaptability 1 2 3 4 5 6 7 8 9
- Vigour for no-till 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing 1 2 3 4 5 6 7 8 9


Vertigo R2

2750 CHU (RM 0.8)


- Very good yield potential
- Healthy plant throughout the growing season
- Good *Sclerotinia* tolerance

Management Pointers

- Plant in all types of soil
- Optimal spacing 15" to 20"



Guaranteed yield and performance stability



- *Phytophthora*: Rps 1c
- SCN: Resistant (PI88788)
- BSR: Resistant
- Standability 1 2 3 4 5 6 7 8 9
- *Sclerotinia* tolerance 1 2 3 4 5 6 7 8 9
- Stability – adaptability 1 2 3 4 5 6 7 8 9
- Vigour for no-till 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing 1 2 3 4 5 6 7 8 9


Miko R2

2750 CHU (RM 0.8)


- Vigorous variety and good spring start
- Excellent yield potential
- Stocky bushy plant and well suited to 30" seeding

Management Pointers

- Plant in all types of soil
- Reduce populations in high potential yield environments
- Plan for intensive management (good response to foliar fungicides)



Dominant variety with exceptional yield



- *Phytophthora*: Rps 1c
- SCN: Sensitive
- BSR: Sensitive
- Standability 1 2 3 4 5 6 7 8 9
- *Sclerotinia* tolerance 1 2 3 4 5 6 7 8 9
- Stability – adaptability 1 2 3 4 5 6 7 8 9
- Vigour for no-till 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing 1 2 3 4 5 6 7 8 9

ROUNDUP READY 2 XTEND[®] SOYBEANS

One Technology, More Possibilities

The variety
demonstrated strong
defensive traits
and noteworthy
performance in 2021

Dyno R2X

NEW



2725 CHU (RM 0.7)

Expert Notes

- ✓ A variety with strong defensive traits that showed outstanding performance in field with high white mould pressure
- ✓ Super healthy variety, all season long, with its superior natural *Phytophthora* tolerance
- ✓ All around variety, offensive and defensive with an outstanding standability

« A dream variety with its noteworthy performance for the last 2 years. »

Alexandre Tessier, agr.
District Sales Manager, Eastern Québec



Fresco R2X

2275 CHU (RM 000.9)




- Great opportunity for growing soybean in northern zones
- Good natural *Phytophthora* resistance and *Sclerotinia* tolerance
- Possibility of sowing a crop of winter wheat in 2500–2600 CHU zone

Management Pointers

- Avoid heavy soils
- Performs best in narrow rows
- Good yield in high density populations

Row spacing (in)
7 14

Early variety with good performance
for its maturity group



Medium slender
Medium-short

- *Phytophthora*: Rps 1a
SCN: Sensitive
BSR: Sensitive
- Standability
1 2 3 4 5 6 7 8 9
- *Sclerotinia* tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
NR

Management Pointers

- Position in fertile soils
- Optimal spacing 15" to 30"
- Excellent natural resistance to *Phytophthora*

Phytophthora: Rps 1c
SCN: Resistant (PI88788)
BSR: Average resistance

Row spacing (in)
7 14 30



- Standability
1 2 3 4 5 6 7 8 9
- *Sclerotinia* tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9



Semi-bushy
Medium-tall


Merino R2X

2400 CHU (RM 00.4)

- Very good yield potential for its maturity group
- Plant type similar to Dugaldo R2X
- Excellent standability in all growing conditions

Management Pointers

- Prefers 15" spacing or less
- Well suited to no-till (above average)



Variety with good defensive traits

Phytophthora: Rps 1k
SCN: Resistant (PI88788)
BSR: Resistant

- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
NR


Verso R2X

2525 CHU (RM 00.9)

- Tall plant
- Large stem gives a pleasing appearance
- Good first pod height facilitates harvesting

Management Pointers

- Prefers 7" to 15" spacing
- Avoid light and rich soils
- Well adapted for no-till systems and clay soils



Variety well suited to no-till systems

Phytophthora: Rps 1k
SCN: Sensitive
BSR: ND

- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Mako R2X


NEW

2425 CHU (RM 00.5)

- Great standability
- Very stable in all environments
- Good performance in fertile soil

Management Pointers

- Prefers 15" row spacing or less
- Best suited to coarse and loamy soils
- Responds best to higher populations



Early variety that will impress you with its yield

Phytophthora: Rps 1c
SCN: Sensitive
BSR: HT

- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9



Bronco R2X

2550 CHU (RM 0.0)

- Excellent standability in all growing conditions
- Very good Sclerotinia tolerance
- Presence of Rps 6 gene gives this variety elite protection against Phytophthora

Management Pointers

- Plant in all soil types
- Preferably 15" spacing or less



Defensive agronomic traits make this a promising variety

Phytophthora: Rps 1c/6
SCN: Sensitive
BSR: Resistant

- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9


Kudo R2X

2475 CHU (RM 00.6)

- Plant has branching ability which improves field appearance
- Excellent choice for heavy soils
- Exceptional vigour

Management Pointers

- Optimal spacing 15" or less
- Good yield in lower density populations



High-performance variety adapted to early maturity zones

Phytophthora: Good natural tolerance
SCN: Sensitive
BSR: Resistant

- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9


Rico R2X

2575 CHU (RM 0.1)

- Excellent yield potential
- Superior standability in the field
- Very good Sclerotinia tolerance

Management Pointers

- Plant in all types of tillage systems
- Profitable performance in very fertile soils
- Opt for 20" rows or less for best performance



Combination of performance and resistance to common soybean diseases

Phytophthora: Rps 1c
SCN: Resistant (PI88788)
BSR: ND

- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9


Donaldo R2X

2600 CHU (RM 0.2)

- Performs in all management systems, soil types and environments
- The variety that stood out in several demo plots for the past 3 years
- A leader in its maturity zone

Management Pointers

- Plant in heavy or light soil
- Optimal spacing 7" to 15"
- Above average spring vigour



Great adaptability and performance stability are key to this variety's success



- Phytophthora*: Rps 1c
SCN: Sensitive
BSR: Sensitive
- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia* tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9


Amino R2X

2700 CHU (RM 0.6)

- Variety robust under adverse conditions
- Excellent spring vigour
- Rapid canopy closure and vigorous vegetative growth

Management Pointers

- Well adapted to minimum tillage and no-till systems
- Stable performer



High yield variety that performs in all conditions



- Phytophthora*: Rps 1c
SCN: Resistant (PI88788)
BSR: Sensitive
- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia* tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9


Nano R2X

2700 CHU (RM 0.6)

- Excellent *Phytophthora* resistance
- Variety robust under adverse conditions
- Rapid canopy closure and vigorous vegetative growth

Management Pointers

- Adapted to minimum tillage and no-till systems
- Good solution for intensive crop management
- Reduce populations in fertile environments



The leader of the pack for its performance and yield potential



- Phytophthora*: Rps 3a
SCN: Resistant (PI88788)
BSR: Medium Resistance
- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia* tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Pico R2X


NEW

2775 CHU (RM 0.9)


- Very good *Sclerotinia* tolerance
- Good performance in a variety of soil fertility conditions
- Stable and defensive variety with excellent standability

Management Pointers

- Prefers 15" spacing or more
- Sow in any soil type



A variety combining superior performance with defensive traits



- Phytophthora*: Rps 1c
SCN: Resistant (PI88788)
BSR: Medium Resistant
- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia* tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9


Neo R2X

2825 CHU (RM 1.1)

- Good spring start
- Above average vegetative growth

Management Pointers

- Choose loamy fertile soils for improved performance
- Well adapted to 30" rows



High yield potential with excellent *Phytophthora* resistance



- Phytophthora*: Rps 3a
SCN: Resistant (PI88788)
BSR: Medium Resistant
- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia* tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9


Rondo R2X

2900 CHU (RM 1.5)

- Good standability and good spring start
- Tall plant with good branching capacity
- Good resistance to common soybean diseases

Management Pointers

- Plant in all soil types
- Optimal spacing 30"
- Plant in its relative maturity zone



Perfect combination of defensive traits and excellent yield potential









- Phytophthora*: Rps 1c/3a
SCN: Resistant (PI88788)
BSR: Sensitive
- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia* tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

| VARIETY | UTM (MR) | RPS | SCN | ‡ | PROTEIN | ∫ | S/KG | △ | S/HA | BAGS/ HA | S/M | S/LB | △ | S/AC | BAGS/ AC | S/FT |
|---------------|-------------|-------|-----|----|---------|---|--------------------|---------------|-------------------------------|----------------------|---------------------|--------------|---------------|-------------------------------|----------------------|--------------------|
| MAYA | 2475 (00.7) | 1c | ▲ | ● | 45 % | ■ | 5300 5900 | 7 14 | 550 000 500 000 | 5,00 4,55 | 9,6 17,5 | 2404 2676 | 7 14 | 222 672 202 429 | 2,02 1,84 | 2,9 5,3 |
| HANA BIO | 2575 (0.1) | ø | ▲ | ● | 44 % | ■ | 5200 5600 30 | 7 14 30 | 550 000 500 000 500 000 | 5,00 4,55 4,55 | 9,6 17,5 37,5 | 2358 2540 | 7 14 30 | 222 672 202 429 202 429 | 2,02 1,84 1,84 | 2,9 5,3 11,4 |
| KONATTO | 2600 (0.3) | ø | ▲ | ND | 40 % | ■ | 12000 14000 | 7 14 | 555 000 525 000 | 2,13 2,02 | 9,7 18,4 | 5442 6349 | 7 14 | 224 696 212 551 | 0,86 0,82 | 3,0 5,6 |
| ALYNATTO | 2650 (0.5) | ø | ▲ | ND | 40 % | ■ | 9500 10000 | 7 14 | 540 000 515 000 | 2,08 1,98 | 9,5 18,0 | 4308 4535 | 7 14 | 218 623 208 502 | 0,84 0,80 | 2,9 5,5 |
| HOLA | 2675 (0.5) | 1c/3a | ▲ | ● | 44 % | ■ | 4000 4300 30 | 7 14 30 | 500 000 475 000 400 000 | 4,55 4,32 3,64 | 8,8 16,6 30,0 | 1814 1950 | 7 14 30 | 202 429 192 308 161 943 | 1,84 1,75 1,47 | 2,7 5,1 9,1 |
| AYA | 2675 (0.5) | 3a | ▲ | ● | 45 % | ■ | 3900 5200 30 | 7 14 30 | 500 000 475 000 400 000 | 4,55 4,32 3,64 | 8,8 16,6 30,0 | 1769 2358 | 7 14 30 | 202 429 192 308 161 943 | 1,84 1,75 1,47 | 2,7 5,1 9,1 |
| QUENATTO | 2700 (0.6) | ø | ▲ | ● | 40 % | ■ | 9000 11000 | 7 14 | 540 000 515 000 | 2,08 1,98 | 9,5 18,0 | 4082 4989 | 7 14 | 218 623 208 502 | 0,84 0,80 | 2,9 5,5 |
| BLACK GOLD | 2750 (0.8) | NA | ▲ | ND | 41 % | ■ | 4400 5000 | 7 14 | 490 000 475 000 | 4,45 4,32 | 8,6 16,6 | 1995 2268 | 7 14 | 198 381 192 308 | 1,80 1,75 | 2,6 5,1 |
| HAKATA | 2750 (0.9) | 1c | ▲ | ● | 45 % | ■ | 3400 4200 30 | 14 30 | 475 000 370 000 | 4,75 3,70 | 16,6 27,8 | 1542 1905 | 14 30 | 192 308 149 798 | 1,92 1,50 | 5,1 8,5 |
| SIBERIA | 2375 (00.2) | 1a | ▲ | ● | 39 % | ■ | 5600 6200 | 7 14 | 550 000 500 000 | 5,00 4,55 | 9,6 17,5 | 2540 2812 | 7 14 | 222 672 202 429 | 2,02 1,84 | 2,9 5,3 |
| ASANA | 2700 (0.6) | 1c | ▲ | ● | 42 % | ■ | 4500 5100 30 | 7 14 30 | 500 000 475 000 370 000 | 4,55 4,32 3,36 | 8,8 16,6 27,8 | 2041 2313 | 7 14 30 | 202 429 192 308 149 798 | 1,84 1,75 1,36 | 2,7 5,1 8,5 |
| MARULA BIO | 2700 (0.6) | 1c | ▲ | ● | 42 % | ■ | 4500 5300 30 | 7 14 30 | 500 000 475 000 400 000 | 4,55 4,32 3,64 | 8,8 16,6 30,0 | 2041 2404 | 7 14 30 | 202 429 192 308 161 943 | 1,84 1,75 1,47 | 2,7 5,1 9,1 |
| EZRA | 2725 (0.8) | 3a | ▲ | ● | 39 % | ■ | 4600 5200 30 | 14 30 | 475 000 370 000 | 4,32 3,36 | 16,6 27,8 | 2086 2358 | 14 30 | 192 308 149 798 | 1,75 1,36 | 5,1 8,5 |
| WILMA | 2750 (0.8) | 1c/3a | ▲ | ● | 41 % | ■ | 4200 4800 30 | 14 30 | 475 000 370 000 | 4,32 3,36 | 16,6 27,8 | 1905 2177 | 14 30 | 192 308 149 798 | 1,75 1,36 | 5,1 8,5 |
| ACUNA | 2775 (0.9) | 1c | ▲ | ● | 42 % | ■ | 4000 4600 30 | 7 14 30 | 500 000 475 000 370 000 | 4,55 4,32 3,36 | 8,8 16,6 27,8 | 1814 2086 | 7 14 30 | 202 429 192 308 149 798 | 1,84 1,75 1,36 | 2,7 5,1 8,5 |
| ACORA | 2800 (1.0) | 1c | ▲ | ● | 40 % | ■ | 5300 5700 30 | 14 30 | 475 000 370 000 | 4,32 3,36 | 16,6 27,8 | 2404 2585 | 14 30 | 192 308 149 798 | 1,75 1,36 | 5,1 8,5 |
| MYA | 2825 (1.2) | 1c | ● | ● | 42 % | ■ | 4400 5000 30 | 14 30 | 475 000 370 000 | 4,32 3,36 | 16,6 27,8 | 1995 2268 | 14 30 | 192 308 149 798 | 1,75 1,36 | 5,1 8,5 |
| ATENA BIO | 2825 (1.2) | 1c/3a | ▲ | ● | 43 % | ■ | 4000 4600 30 | 14 30 | 475 000 370 000 | 4,32 3,36 | 16,6 27,8 | 1814 2086 | 14 30 | 192 308 149 798 | 1,75 1,36 | 5,1 8,5 |

| VARIETY | UTM (MR) | RPS | SCN | SDS | BSR | ‡ | PROTEIN | ∫ | S/KG | △ | S/HA | BAGS/ HA | S/M | S/LB | △ | S/AC | BAGS/ AC | S/FT |
|-------------|--------------|-------|-----|-----|-----|---|---------|---|--------------|---------------|-------------------------------|----------------------|---------------------|--------------|---------------|-------------------------------|----------------------|-------------------|
| EVO E3 | 2250 (000.7) | ø | ▲ | ND | ND | | 42 % | ■ | 6000 6400 | 7 14 | 525 000 495 000 | 3,75 3,54 | 9,2 17,3 | 2721 2902 | 7 14 | 212 551 200 405 | 1,52 1,43 | 2,8 5,3 |
| ELMO E3 | 2475 (00.7) | 1a | ● | ND | MS | | 39 % | ■ | 6600 7100 | 7 14 | 525 000 495 000 | 3,75 3,54 | 9,2 17,3 | 2993 3220 | 7 14 | 212 551 200 405 | 1,52 1,43 | 2,8 5,3 |
| EMILIO E3 | 2600 (0.2) | 1a/3a | ▲ | ND | ND | | 41 % | ■ | 6000 7000 | 7 14 | 500 000 465 000 | 3,57 3,32 | 8,8 16,3 | 2721 3175 | 7 14 | 202 429 188 259 | 1,45 1,34 | 2,7 5,0 |
| ELICO E3 | 2725 (0.7) | GNT | ● | ND | ND | ● | 39 % | ■ | 6000 7000 | 7 14 30 | 470 000 450 000 370 000 | 3,36 3,21 2,64 | 8,2 15,8 27,8 | 2721 3175 | 7 14 30 | 190 283 182 186 149 798 | 1,36 1,30 1,07 | 2,5 4,8 8,5 |
| ENYO E3 | 2750 (0.8) | GNT | ● | ND | ● | | 41 % | ■ | 6000 7000 | 14 30 | 450 000 370 000 | 3,21 2,64 | 15,8 27,8 | 2721 3175 | 14 30 | 182 186 149 798 | 1,30 1,07 | 4,8 8,5 |
| SALTO R2 | 2625 (0.4) | 1c/3a | ▲ | ND | ▲ | ● | 40 % | ■ | 5800 6400 | 7 14 | 500 000 465 000 | 3,57 3,32 | 8,8 16,3 | 2630 2902 | 7 14 | 202 429 188 259 | 1,45 1,34 | 2,7 5,0 |
| VERTIGO R2 | 2750 (0.8) | 1c | ● | ND | ● | ● | 41 % | ■ | 4800 5400 | 7 14 30 | 465 000 435 000 380 000 | 3,32 3,11 2,71 | 8,1 15,2 28,5 | 2177 2449 | 7 14 30 | 188 259 176 113 153 846 | 1,34 1,26 1,10 | 2,5 4,6 8,7 |
| MIKO R2 | 2750 (0.8) | 1c | ▲ | ND | ▲ | ● | 39 % | ■ | 5900 6500 | 14 30 | 420 000 350 000 | 3,00 2,50 | 14,7 26,3 | 2676 2948 | 14 30 | 170 040 141 700 | 1,21 1,01 | 4,5 8,0 |
| FRESCO R2X | 2275 (000.9) | 1a | ▲ | ND | ▲ | ● | 40 % | ■ | 4200 4800 | 7 14 | 525 000 495 000 | 3,75 3,54 | 9,2 17,3 | 1905 2177 | 7 14 | 212 551 200 405 | 1,52 1,43 | 2,8 5,3 |
| MERINO R2X | 2400 (00.4) | 1k | ● | ND | ● | | 40 % | ■ | 4900 5500 | 7 14 | 525 000 495 000 | 3,75 3,54 | 9,2 17,3 | 2222 2345 | 7 14 | 212 551 200 405 | 1,52 1,43 | 2,8 5,3 |
| MAKO R2X | 2425 (00.5) | 1c | ▲ | ND | ▲ | ● | 40 % | ■ | 5200 5900 | 7 14 | 525 000 495 000 | 3,75 3,54 | 9,2 17,3 | 2358 2676 | 7 14 | 212 551 200 405 | 1,52 1,43 | 2,8 5,3 |
| KUDO R2X | 2475 (00.6) | GNT | ▲ | ND | ● | ● | 41 % | ■ | 5000 5500 | 7 14 | 500 000 465 000 | 3,57 3,32 | 8,8 16,3 | 2268 2494 | 7 14 | 202 429 188 259 | 1,45 1,34 | 2,7 5,0 |
| VERSO R2X | 2525 (00.9) | 1k | ▲ | ND | ND | | 43 % | ■ | 5000 6600 | 7 14 | 500 000 465 000 | 3,57 3,32 | 8,8 16,3 | 2268 2993 | 7 14 | 202 429 188 259 | 1,45 1,34 | 2,7 5,0 |
| BRONCO R2X | 2550 (0.1) | 1c/6 | ▲ | ND | ● | ● | 41 % | ■ | 4600 5300 | 7 14 | 500 000 465 000 | 3,57 3,32 | 8,8 16,3 | 2086 2404 | 7 14 | 202 429 188 259 | 1,45 1,34 | 2,7 5,0 |
| RICO R2X | 2575 (0.1) | 1c | ● | ND | ND | | 40 % | ■ | 5700 6300 | 7 14 | 500 000 465 000 | 3,57 3,32 | 8,8 16,3 | 2585 2857 | 7 14 | 202 429 188 259 | 1,45 1,34 | 2,7 5,0 |
| DONALDO R2X | 2600 (0.2) | 1c | ▲ | ND | ▲ | ● | 40 % | ■ | 5700 6300 | 7 14 | 500 000 465 000 | 3,57 3,32 | 8,8 16,3 | 2585 2857 | 7 14 | 202 429 188 259 | 1,45 1,34 | 2,7 5,0 |
| AMINO R2X | 2700 (0.6) | 1c | ● | ND | ▲ | | 40 % | ■ | 4800 5200 | 7 14 30 | 465 000 435 000 380 000 | 3,32 3,11 2,71 | 8,1 15,2 28,5 | 2177 2291 | 7 14 30 | 188 259 176 113 153 846 | 1,34 1,26 1,10 | 2,5 4,6 8,7 |
| NANO R2X | 2700 (0.6) | 3a | ● | ND | MR | | 41 % | ■ | 5200 6200 | 14 30 | 420 000 350 000 | 3,00 2,50 | 14,7 26,3 | 2358 2812 | 14 30 | 170 040 141 700 | 1,21 1,01 | 4,5 8,0 |
| DYNO R2X | 2725 (0.7) | 1c | ● | ND | MR | | | ■ | 4200 4800 | 14 30 | 450 000 370 000 | 3,21 2,64 | 15,8 27,8 | 1905 2177 | 14 30 | 182 186 149 798 | 1,30 1,07 | 4,8 8,5 |
| PICO R2X | 2775 (0.9) | 1c | ● | MR | MR | | 39 % | ■ | 5500 6500 | 14 30 | 450 000 370 000 | 3,21 2,64 | 15,8 27,8 | 2494 2779 | 14 30 | 182 186 149 798 | 1,30 1,07 | 4,8 8,5 |
| NEO R2X | 2825 (1.1) | 3a | ● | ▲ | MR | | 39 % | ■ | 5200 6200 | 14 30 | 450 000 370 000 | 3,21 2,64 | 15,8 27,8 | 2358 2812 | 14 30 | 182 186 149 798 | 1,30 1,07 | 4,8 8,5 |
| RONDO R2X | 2900 (1.5) | 1c/3a | ● | MR | ▲ | | 40 % | ■ | 5000 5700 | 14 30 | 450 000 370 000 | 3,21 2,64 | 15,8 27,8 | 2268 2585 | 14 30 | 182 186 149 798 | 1,30 1,07 | 4,8 8,5 |

LEGEND

VARIETY



NON-GMO

GMO

△ Recommended row spacing in inches

S Kilogram

HA Hectare

M Linear metre

LB Pound

AC Acre

FT Linear foot

SCN Soybean cyst Nematode

SDS Soybean Death Syndrome

BSR Brown Stem Rot

‡ Stem Canker

GNT Good natural tolerance

MS Medium Sensitive

MR Medium Resistant

ø None

SCN

‡

PROTEIN

∫

S/KG

△

S/HA

BAGS/HA

S/M

S/LB

△

S/AC

BAGS/AC

S/FT

N/T Non tested

● Resistant

▲ Sensitive

NEW

PUBESCENCE COLOR

Light Brown

Brown

Grey

∫

SEEDS PER BAG

Qualipro and IP

110 000 SEEDS

Hakata

100 000 SEEDS

Konatto, Alynatto and Quenatto

260 000 SEEDS

All GMO'S

140 000 SEEDS

YOUR CALCULATION

① Row spacing: IN

② Target population: S/HA

③ Seed size: S/KG

④ Number of seeds per bag: S/BAG

METHOD N° 1

S/HA

→

BAGS/HA

S/BAG

→

KG/BAG

BAGS/HA

×

KG/BAG

=

KG/HA

METHOD N° 2

S/HA

→

KG/HA

CONVERSION

KG/HA


×

0.89

=

LB/AC

28 © 2023 Seed Guide — Eastern Canada

 Prograin®

Contact us !

prograin@prograin.qc.ca

Telephone : **1 800 817-3732**

Fax : **450 469-4547**

Maxime Gratton, agr.

District Sales Manager,
Western Québec

maxime.gratton@prograin.qc.ca

Marc Saumure, CCA - ON, DTA

District Sales Manager,
Eastern Ontario and Maritimes

marc.saumure@prograin.qc.ca

Alexandre Tessier, agr.

District Sales Manager,
Eastern Québec

alexandre.tessier@prograin.qc.ca

Cody Lemon, CCA - ON

District Sales Manager,
Western Ontario

cody.lemon@prograin.ca

Philippe Lemaître, agr.

Technical Manager
of Seed production

philippe.lemaitre@prograin.qc.ca

**145, rang du Bas-de-la-Rivière Nord
Saint-Césaire (Québec) J0L 1T0 Canada**

The agronomic content of the 2023 Seed Guide was prepared and verified
by agronomists Maxime Gratton, Marc Saumure, Alexandre Tessier, Cody Lemon and Philippe Lemaître.

Prograin® is a registered trademark of Semences Prograin inc. The Prograin® and Quali-Pro® logos are registered trademarks of Semences Prograin inc. Turbo-N2® is a registered trademark of Semences Prograin inc.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. These products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from these products can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for these products. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with products with Roundup Ready 2 Xtend® soybeans. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED AND APPROVED FOR SUCH USES. Contact the Pest Management Regulatory Agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Roundup Ready® 2 Technology contains genes that confer tolerance to glyphosate. Roundup Ready 2 Xtend® soybeans contains genes that confer tolerance to glyphosate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Contact your Bayer retailer, refer to the Bayer Technology Use Guide, or call the technical support line at 1-800-667-4944 for recommended Roundup Ready® Xtend Crop System weed control programs.

Enlist E3 and the Enlist E3 logo are trademarks of the Dow Chemical Company ("Dow") or an affiliated company of Dow. Enlist E3 soybeans were jointly developed by Dow Agrosciences and MS technologies.

Certified Seed

A guarantee of success.
A guarantee of progress.



Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready® and XtendFlex® are registered trademarks of Bayer Group. Used under license. Bayer CropScience Inc. is a member of CropLife Canada.