



Prograin[®]

**2025
Seed
Guide**

EASTERN CANADA

Feeding the world: It starts here!

Table of Contents

Categories	Pages
Qualipro	2
IP	10
Enlist	16
R2	20
R2X	22

At Prograin, we are committed to offering you conventional soybean varieties specifically developed to meet your needs in terms of yield, disease resistance and profitability.

We also make sure that these same varieties meet the selection criteria of our international buyers who process the soybeans. Prograin is synonymous

with quality and reliability in a highly competitive market.

When you choose Prograin, you are choosing a partner committed to excellence!

Turn to pages 8–9 of this guide to follow the entire process of how we develop our varieties, from the research centre to the dinner table.

Be proud of what you grow!

Share photos of your fields and your farm on social media all season long with the hashtag

#proudIPproducer





Quali-Pro®

**Specialty seeds to increase
your profitability**

Expert Notes

High-protein Quali-Pro variety, which will compete with the best performance in the IP portfolio

Aya

2675 CHU (RM 0.5) High Protein



- ✓ Among the best spring emergence in the industry.
- ✓ Its rapid vegetative growth is a real advantage in wider rows.
- ✓ A standout in our *Phytophthora* resistance trials.

« This variety has won over conventional and organic growers alike. »

Alexandre Tessier, agr.
District Sales Manager, Eastern Canada



Management Pointers

Well adapted to all types of spacing

Pay particular attention to very fertile soils and the calibration of the seed drill (large seed)

Phytophthora: Rps 3a
SCN: Sensitive

Row spacing (in)



PREFERRED FOR
organic
PRODUCTION

Standability

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Sclerotinia tolerance

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Stability – adaptability

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Vigour for no-till

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Adaptability to 30" spacing

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨



Semi-bushy
Medium-tall

Quali-Pro® 03

Liska




2400 CHU (RM 00.3) High Protein



-
- Excellent yield potential in its maturity group
- An impressive looking plant all season long
- Very nice appearance in the fields

Management Pointers

- Plant in fertile well-structured soil
- Prefers seeding in narrow spacing



An early season, high yielding variety that will impress!



Phytophthora: Good natural tolerance
SCN: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
NR

Koa


2475 CHU (RM 00.8)




-
- Variety that branches and has excellent standability
- Has an excellent appearance in the field

Management Pointers

- Good yield in high density populations
- Prefers 7" to 15" spacing
- Plant in all soil types



Variety that will impress with its stability in early maturity areas



Phytophthora: Rps 1c
SCN: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
NR

Maya




2475 CHU (RM 00.7) High Protein




-
- The perfect variety for producers in an early zone who want to initiate themselves to non-GMO soybeans
- Fantastic early season growth producing large trifoliates
- A robust stem, excellent standability and very good spring vigour
- It is often said that the look does not replace performance, but this variety brings the two together!

Management Pointers

- Plant in loamy and clay soil
- Pay particular attention to very fertile soils with manure management
- Prefers 15" spacing or less



Performs well agronomically and financially in early maturity zone



Phytophthora: Rps 1c
SCN: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Nala


2550 CHU (RM 0.0)



- Variety with excellent standability
- Top yield in RGCQ (1 year and 2 year summary)
- Great white mould tolerance

Management Pointers

- Plant in all soil types
- Plant in fertile well-structured soil



Variety with strong yield potential for its maturity



Phytophthora: Rps 1c
SCN: Sensitive

- Standability: 1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance: 1 2 3 4 5 6 7 8 9
- Stability – adaptability: 1 2 3 4 5 6 7 8 9
- Vigour for no-till: 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing: 1 2 3 4 5 6 7 8 9

Hana


2575 CHU (RM 0.1) High Protein



- High yield potential and stable year after year
- Robust stem, excellent standability
- Very good Sclerotinia tolerance


Management Pointers

- Prefers 15" spacing or less, and 30" spacing in organic production
- Grow in either conventional or organic crop management systems
- Plant in fertile soil



PREFERRED FOR
organic
PRODUCTION

This hardy variety dominates agronomically and financially



Phytophthora: None
SCN: Sensitive

- Standability: 1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance: 1 2 3 4 5 6 7 8 9
- Stability – adaptability: 1 2 3 4 5 6 7 8 9
- Vigour for no-till: 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing: 1 2 3 4 5 6 7 8 9

Alynatto


2650 CHU (RM 0.5) Natto




- High yield potential with high profitability
- Adapted to all soil types
- Good standability and healthy plant all season long

Management Pointers

- Pay particular attention to seed drill and combine adjustments
- Sow in approximately 1" deep and roll afterward
- Plant in fertile soil



Ultra-high-performing
Natto variety offers great stability



Phytophthora: None
SCN: Sensitive

- Standability: 1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance: 1 2 3 4 5 6 7 8 9
- Stability – adaptability: 1 2 3 4 5 6 7 8 9
- Vigour for no-till: 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing: 1 2 3 4 5 6 7 8 9

Hola

2675 CHU (RM 0.5) High Protein



- Very productive secondary branches
- Strong stem with outstanding standability
- Good plant fertility and good yield stability

Management Pointers

- Prefers 15" spacing
- Performs well in all crop management systems
- Plant in all soil types



Semi-bushy
Medium-tall

A variety that will amaze you with its stability and yield

Phytophthora: Rps 1c/3a

SCN: Sensitive

Standability



Sclerotinia tolerance



Stability – adaptability



Vigour for no-till



Adaptability to 30" spacing



Quenatto


2700 CHU (RM 0.6) Natto



- Most economical seed cost on the market
- Medium-tall plant, with good stem and excellent standability
- Stable performance since its introduction

Management Pointers

- Plant in fertile well-structured soil
- Sow in 1" deep
- Pay particular attention to seed drill and combine adjustments



Semi-bushy
Medium-tall

Superior Natto-type yield

Phytophthora: None

SCN: Sensitive

Standability



Sclerotinia tolerance



Stability – adaptability



Vigour for no-till



Adaptability to 30" spacing



Our high profitability soybean lines

Quali-Pro Soybean



Highly competitive fixed variety premiums*



Paid storage*



Transportation allowance*



Exclusive privileges



Unparalleled technical service



Peace of mind protection

*Some conditions apply.

Organic soybeans, a crop that pays off

Benefit from numerous advantages, including the option to maximize your crop buyback.



IP Soybean



Superior performance



Competitive fixed variety premiums



Logistics service adapted to your needs

Black Soybean




2750 CHU (RM 0.8)

- Medium-tall plant best suited for 15" rows or less
- Yield similar to a Natto type
- Very exciting marketing program

Management Pointers

- Sow in well-structured, well-drained soil
- Monitor seeding depth, aim for 1"
- Pay careful attention to cleaning the seeder and combine
- Prefers intensive crop management

* Unregistered variety, available in Canada #1
Available on contract only, for human consumption



Black seed coat & green pulp: a variety unique to Canada



Phytophthora: NA
SCN: NT

- Standability: 1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance: 1 2 3 4 5 6 7 8 9
- Stability – adaptability: 1 2 3 4 5 6 7 8 9
- Vigour for no-till: 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing: 1 2 3 4 5 6 7 8 9

Hakata




2750 CHU (RM 0.9) Tofu


- Good-sized plant, well adapted to 30" spacing
- Good standability and good spring start
- Profitable yield and marketing program

Management Pointers

- Plant in fertile well-drained soil
- Sow 1.5" deep
- Pay particular attention to seed drill calibration and performance (large seed)



Leading variety on export markets for tofu production



Phytophthora: Rps 1c
SCN: Sensitive

- Standability: 1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance: 1 2 3 4 5 6 7 8 9
- Stability – adaptability: 1 2 3 4 5 6 7 8 9
- Vigour for no-till: 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing: 1 2 3 4 5 6 7 8 9



When you qualify for the Quali-Pro Club, you benefit from numerous privileges:

- Priority access to new varieties developed by Prograin, and to certain events
- Technical training, cost-of-production exercise and much more
- Every 2-year event to celebrate the efforts and performances of the members of the Quali-Pro club



From the research centre to the dinner table!

3. Seed Marketing

It generally takes 5 to 7 years of tests, evaluations and seed multiplication for a new variety to be chosen and finally become available on the market, for planting in your fields.



2. Food Quality Laboratory

Our future varieties of food-grade soybeans undergo rigorous testing in our food quality lab, where we make soy-based products such as tofu.



1. Research and Development

Thanks to our research team and to our state-of-the-art equipment, each year we develop thousands of new cultivars in order to bring you high-performance seeds.





4. Conditioning

After harvesting, the soybeans are carefully conditioned and bagged according to the specific requirements of our customers who process the soy.



5. Export

Our food-grade soybeans are principally exported to Europe, Asia and North America, where demand for high quality soy is considerable. The export team's expertise and human approach are an undeniable plus in the success of this step.



6. To your dinner table!

Interest in a plant-based diet is gaining popularity. And we are proud to find that Prograin soybeans are enjoyed in every corner of the world!

Our IP seed line ranks among the best according to results from the Réseau Grandes Cultures du Québec (RGCQ) and the Ontario Soybean Variety Trials (OSVT).



**First class
in profitability**



Expert Notes

Dominant variety in its maturity zone

Wilma

2750 CHU (RM 0.8)



- ✓ Top variety at the RGCQ and OSAAC for the last 2 years.
- ✓ Variety offers surprising ground coverage in 15" and wide rows.
- ✓ Suitable for all types of soil.

« Its yield and branching capacity will impress! »

Ghislain Decœur, agr.
District Sales Manager, Eastern Ontario




Management Pointers

Reduce populations in light and fertile soils

Plant in all soil types

Prefers 15" to 30" spacing

Phytophthora: **Rps 1c/3a**
SCN: **Sensitive**



Standability

1 2 3 4 5 6 7 8 9

Sclerotinia tolerance

1 2 3 4 5 6 7 8 9

Stability – adaptability


1 2 3 4 5 6 7 8 9

Vigour for no-till

1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing

1 2 3 4 5 6 7 8 9



Marula

2700 CHU (RM 0.6)




- **Heathy plant all season long**
- **Offers stability and performance in all environments**

Management Pointers

- Plant in all soil types
- Grows in any crop management systems (Very popular with organic growers)
- Prefers 15" spacing and 30" in organic production only

PREFERRED FOR
organic
PRODUCTION



In high demand since its introduction and prized for its great stability

Phytophthora: Rps 1c
SCN: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Semi-bushy
Medium-tall

Ezra

2725 CHU (RM 0.8)




- **Top performance in all trials of previous years**
- **Very vigorous plant and good standability**
- **Good *Sclerotinia* tolerance**

Management Pointers

- Plant in all soil types
- Grow in any crop management system
- Prefers 15" to 30" spacing

Proven performance since its introduction



Phytophthora: Rps 3a
SCN: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Semi-bushy
Medium-tall

Acuna

2775 CHU (RM 0.9)




- **Similar height to Ezra**
- **Very fertile plant with above-average number of nodes**
- **One of the top varieties in RGCQ 30" row trials (2 year summary)**

Management Pointers

- Well adapted to all types of spacing
- Plant in loamy soil

Variety with high yield potential and standability you dream about



Phytophthora: Rps 1c
SCN: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9


Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Semi-bushy
Medium-tall

Expert Notes

Superior agronomic performance and desirable nutritional qualities

Atena 
2825 CHU (RM 1.2)



- ✓ High yield potential
- ✓ Robust plant with good branching capacity
- ✓ Stable height, regardless of soil type and fertility

« *The variety that has made people talk thanks to its excellent performance in Montérégie-Ouest.* »

Maxime Gratton, agr.
District Sales Manager, Western Québec




Management Pointers

Plant in fertile soil

Prefers 15" to 30" spacing and 15" in minimum and no-till

Plant in its relative maturity zone

Phytophthora: **Rps 1c/3a**
SCN: **Sensitive**



PREFERRED FOR
organic
PRODUCTION

Standability

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Sclerotinia tolerance

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Stability – adaptability

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Vigour for no-till

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Adaptability to 30" spacing

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨



Mya


2825 CHU (RM 1.2)



- Tall variety with productive branches
- Impressive spring vigour even in heavier soil types
- Good stability across all research locations

Management Pointers

- Prefers 15" to 30" spacing
- Well adapted to no-till
- Plant in loamy and clay soil



Strong performing clay bean with SCN protection



Phytophthora: Rps 1c
SCN: SCN (PI88788)

- Standability: 1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance: 1 2 3 4 5 6 7 8 9
- Stability – adaptability: 1 2 3 4 5 6 7 8 9
- Vigour for no-till: 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing: 1 2 3 4 5 6 7 8 9

Zeta


2875 CHU (RM 1.3)



- Top performer in OSACC Maturity Group 1 trials (3-year data)
- 5 cm shorter than Acora and excellent standability
- SCN resistance to give you peace of mind

Management Pointers

- Prefers 15" to 30" spacing
- Plant in all soil types
- Well adapted to all tillage systems



Top performing variety in Southwestern Ontario

Phytophthora: Rps 1c
SCN: Resistant (PI88788)

- Standability: 1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance: 1 2 3 4 5 6 7 8 9
- Stability – adaptability: 1 2 3 4 5 6 7 8 9
- Vigour for no-till: 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing: 1 2 3 4 5 6 7 8 9

Siena*


3100 CHU (RM 2.3)



- High yielding variety well suited for later maturing areas in Southwestern Ontario
- SCN resistance to give you peace of mind
- Excellent agronomic appearance in the field

Management Pointers

- Plant in all soil types
- Meet recommended populations
- Pay particular attention to poorly drained soils



You won't find a higher yielding IP variety in Southwestern Ontario



Phytophthora: Good field tolerance
SCN: Resistant (PI88788)

- Standability: 1 2 3 4 5 6 7 8 9
- Sclerotinia tolerance: 1 2 3 4 5 6 7 8 9
- Stability – adaptability: 1 2 3 4 5 6 7 8 9
- Vigour for no-till: 1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing: 1 2 3 4 5 6 7 8 9

* Variety available in Ontario only

TURBO-N2^{MC}

Liquid Inoculant

One of the few inoculants approved for organic production

Liquid inoculant is packaged in flexible leakproof containers. It can be used right in the seeder box or attached to the gravity box with a grain auger when loading the seed.

Application rate
One container of 2L treats 750 kg of seed (≈30 bags depending on seed size or the equivalent of a large tote bag of Prograin soybean seeds)

Peat Inoculant

The only inoculant in Canada with a shelf life of two years

A high-performance inoculant that adheres to the seed and comes in two convenient sizes: 750 g and 2.25 kg. Once applied to the seed it has a life span of 24 hours.

Application rate
750 g treats 250 kg of seed (≈10 bags depending on seed size)
2.25 kg processes 750 kg of seed (≈30 bags depending on seed size or the equivalent of a large tote bag of Prograin soybean seeds)

Fuzion

Bread Wheat

High yield and medium late maturing bread wheat

Characteristics

- Hard red spring wheat and lightly bearded
- Excellent natural Fusarium tolerance
- Good plant height
- Medium-late heading and maturity
- High specific weight

Seeding Rate

Thousand Kernel Weight : 39.4 g
7" spacing: 197 kg/ha

Management Pointers

Seeding density : 500 seeds/m²
Maximum nitrogen fertilization: 105 to 130 kg/ha, including 50 to 70 kg at seeding time

Watch out for lodging in intensive crop management situations or in very rich soil

Avoid growing wheat after corn or another grain cereal to reduce the risk of Fusarium Head Blight development

Chambly

6-Row Barley

Barley recognized for its excellent resistance to lodging and for its stability

Characteristics

- Superior yield
- Exceptional standability
- Medium-late maturity
- Large kernels
- Medium straw length

Seeding Rate

Thousand Kernel Weight: 47.0 g
7" spacing : 155 kg/ha

Management Pointers

Seeding density : 330 seeds/m²
Good soil preparation is important in order to obtain an even stand



Enlist

**Flexibility and efficiency
in weed management**

Expert Notes

This variety offers excellent agronomic performance

Enduro E3

2650 CHU (RM 0.3)



- ✓ Long robust stem creates attractive field appearance
- ✓ Excellent spring vigor makes this a choice option for no-till.
- ✓ RPS 1a/3a genes provide very good *Phytophthora* resistance

« Explosive yield to fully meet your expectations ! »

Florent Pigrée


District Sales Manager, Eastern Québec



Management Pointers

Plant in all soil types
 Prefers 15" to 30" spacing
 Well adapted to no-till

Phytophthora: Rps 1a/3a
 SCN: Sensitive



Standability

1 2 3 4 5 6 7 8 9

Sclerotinia tolerance

1 2 3 4 5 6 7 8 9

Stability – adaptability

1 2 3 4 5 6 7 8 9

Vigour for no-till

1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing

1 2 3 4 5 6 7 8 9



Semi-bushy
 Medium-tall

* En attente d'enregistrement

Elmo E3


2475 CHU (RM 00.7)



- Very good yield potential for its maturity group
- Remarkably vigorous start

Management Pointers

Plant in all soil types
Prefers 15" spacing or less



High performing Enlist E3 variety in its maturity zone



Phytophthora: Rps 1a
SCN: Resistant (PI88788)
BSR: Medium Sensitive

Standability



Sclerotinia tolerance



Stability – adaptability



Vigour for no-till



Adaptability to 30" spacing

NR

Enyo E3


2750 CHU (RM 0.8)



- Excellent vigour and emergence
- Outstanding stress tolerance
- Good standability

Management Pointers

Plant in all soil types
Prefers 30" spacing
Well adapted to no-till or conventional tillage



Enlist E3 variety that has all the desired agronomic traits



Phytophthora: None
SCN: Resistant (PI88788)
BSR: Resistant

Standability



Sclerotinia tolerance



Stability – adaptability



Vigour for no-till



Adaptability to 30" spacing



FOLLOW US!

prograin.ca



HIGH YIELDS AND CLEAN FIELDS.



High yields and clean fields. Choose Enlist E3™ soybeans.
For control of tough weeds, Enlist™ herbicides offer
choice and tank mix flexibility.

Enlist E3 soybeans. The best in beans. Period.



™ Trademarks of Corteva Agriscience and its affiliated companies. © 2024 Corteva





Consistency & Performance; A winning formula



Miko R2


2750 CHU (RM 0.8)



- Vigorous variety and good spring start
- Excellent yield potential
- Stocky bushy plant and well suited to 30" seeding

Management Pointers

- Plant in all types of soil
- Reduce populations in high yield potential environments
- Performs well in intensive crop management (good response to foliar fungicides)



Dominant variety with exceptional yield



Bushy
Medium-tall

○ *Phytophthora*: Rps 1c
○ SCN: Sensitive
○ BSR: Sensitive

Standability

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Sclerotinia tolerance

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Stability – adaptability

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Vigour for no-till

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Adaptability to 30" spacing

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

#1 FARMERS SHOULDN'T USE A #2 SYSTEM

Why settle for the runner-up when you could have **Roundup Ready® Xtend Crop System**, the #1 grown soybean system in Canada*? It's the only system that combines the high yield potential of Roundup Ready 2 Xtend® soybeans with built-in tolerance to both glyphosate and dicamba chemistries.

Applying the higher rate of Roundup Xtend®2 with VaporGrip® Technology in your first pass provides short-term residual activity on small-seeded broadleaves** with the added ability to effectively manage resistance concerns.

**STAY AHEAD OF WEEDS WITH THE EARLY SEASON CONTROL
OF CANADA'S #1 GROWN SOYBEAN SYSTEM.**

traits.bayer.ca >>

*Based on market research conducted by Stratus Ag Research in 2022 with Canadian soybean growers.

**Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on the growers' fields.

Always read and follow insect resistance management requirements (where applicable), grain marketing and all other stewardship practices and pesticide label directions. Scan the QR code or visit traits.bayer.ca/en/product-legal to review important stewardship and product information including regulatory status, grain marketing requirements, herbicide and insect tolerance, pesticide use and product trial results.

Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready® and XtendFlex® are registered trademarks of Bayer Group. Used under license. LibertyLink® and LibertyLink® logo are registered trademarks of BASF. Used under license. ©2024 Bayer Group. All rights reserved.



**ROUNDUP READY®
XTEND
CROP SYSTEM**

**ROUNDUP READY 2
XTEND
SOYBEANS**

**Roundup
XTEND 2
VaporGrip.**

Dicamba and
Glyphosate Pre-mix

ROUNDUP READY 2
X TEND
SOYBEANS

**Consistent yield performance
year-after-year**

The variety demonstrated strong defensive traits and noteworthy performance in 2023

Expert Notes

Dyno R2X

2725 CHU (RM 0.7)



- ✓ Consistently one of the top yielding varieties in the provincial trials in both Ontario and Quebec.
- ✓ Above average tolerance to Phytophthora and white mould.
- ✓ Has excellent standability in high population environments.

« A variety with exceptional yield potential and a strong defensive package to give you peace of mind. »


Cody Lemon, CCA - ON
District Sales Manager, Western Ontario



Management Pointers

Plant in fertile soil
Prefers 15" to 30" spacing
Excellent natural resistance to *Phytophthora*

Phytophthora: Rps 1c
SCN: Resistant (PI88788)
BSR: Average resistance



Standability

1 2 3 4 5 6 7 8 9

Sclerotinia tolerance

1 2 3 4 5 6 7 8 9

Stability – adaptability

1 2 3 4 5 6 7 8 9

Vigour for no-till

1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing

1 2 3 4 5 6 7 8 9



Semi-bushy
Medium-tall

Fresco R2X


2275 CHU (RM 000.9)




- Great opportunity for growing soybean in northern zones
- Good natural *Phytophthora* resistance and *Sclerotinia* tolerance
- Possibility of sowing a crop of winter wheat in 2500–2600 CHU zone

Management Pointers

- Avoid heavy soils
- Prefers seeding in narrow spacing
- Good yield in high density populations



Early variety with good performance for its maturity group



Phytophthora: Rps 1a
SCN: Sensitive
BSR: Sensitive

Standability
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Sclerotinia tolerance
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Stability – adaptability
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Vigour for no-till
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Adaptability to 30" spacing
NR

Merino R2X


2400 CHU (RM 00.4)



- Very good yield potential for its maturity group
- Plant type similar to Dugaldo R2X
- Excellent standability in all growing conditions

Management Pointers

- Prefers 15" spacing or less
- Well suited to no-till (above average)



Variety with good defensive traits



Phytophthora: Rps 1k
SCN: Resistant (PI88788)
BSR: Resistant

Standability
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Sclerotinia tolerance
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Stability – adaptability
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Vigour for no-till
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Adaptability to 30" spacing
NR

Kudo R2X


2475 CHU (RM 00.6)



- Plant has branching ability which improves field appearance
- Excellent choice for heavy soils and no till system
- Exceptional vigour

Management Pointers

- Prefers 15" spacing or less
- Good yield in lower density populations



High-performance variety adapted to early maturity zones



Phytophthora: Good natural tolerance
SCN: Sensitive
BSR: Resistant

Standability
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Sclerotinia tolerance
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Stability – adaptability
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Vigour for no-till
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Adaptability to 30" spacing
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Bronco R2X


2550 CHU (RM 0.0)



- Excellent standability in all growing conditions
- Very good *Sclerotinia* tolerance
- Presence of Rps 6 gene gives this variety elite protection against *Phytophthora*

Management Pointers

- Plant in all soil types
- Preferably 15" spacing or less



Yield leading variety

Phytophthora: Rps 1c/6
SCN: Sensitive
BSR: Resistant

- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia* tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Rico R2X



2575 CHU (RM 0.1)



- Excellent yield potential
- Superior standability in the field
- Very good *Sclerotinia* tolerance

Management Pointers

- Grows in any crop management systems
- Plant in fertile soil
- Prefers 20" spacing or less



Combination of performance and resistance to common soybean diseases

Phytophthora: Rps 1c
SCN: Resistant (PI88788)
BSR: NT

- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia* tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Donaldo R2X


2600 CHU (RM 0.2)



- Performs in all management systems
- The variety that stood out in several demo plots for the past 4 years
- A leader in its maturity zone

Management Pointers

- Plant in heavy or light soil
- Prefers 7" to 15" spacing
- Above average spring vigour



Great adaptability and performance stability are key to this variety's success

Phytophthora: Rps 1c
SCN: Sensitive
BSR: Sensitive

- Standability
1 2 3 4 5 6 7 8 9
- Sclerotinia* tolerance
1 2 3 4 5 6 7 8 9
- Stability – adaptability
1 2 3 4 5 6 7 8 9
- Vigour for no-till
1 2 3 4 5 6 7 8 9
- Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Nano R2X


2700 CHU (RM 0.6)




- Excellent *Phytophthora* resistance
- Variety robust under adverse conditions
- Rapid canopy closure and vigorous vegetative growth

Management Pointers

- Well adapted to minimum tillage and no-till systems
- Performs well with intensive crop management
- Reduce populations in fertile environments



The leader of the pack for its performance and yield potential



Phytophthora: Rps 3a
SCN: Resistant (PI88788)
BSR: Medium Resistance

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Amino R2X


2700 CHU (RM 0.6)



- Variety robust under adverse conditions
- Excellent spring vigour
- Rapid canopy closure and vigorous vegetative growth

Management Pointers

- Well adapted to minimum tillage and no-till systems
- Plant in all types of spacing



High yield variety that performs in all conditions



Phytophthora: Rps 1c
SCN: Resistant (PI88788)
BSR: Sensitive

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Pico R2X


2775 CHU (RM 0.9)



- Very good *Sclerotinia* tolerance
- Good performance in a variety of soil fertility conditions
- Stable and defensive variety with excellent standability

Management Pointers

- Prefers 15" spacing or more
- Plant in all soil types
- Pay particular attention to clay soils and no-till



A variety combining superior performance with defensive traits



Phytophthora: Rps 1c
SCN: Resistant (PI88788)
BSR: Medium Resistance

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Mercado XF

2875 CHU (RM 1.4)




- Will perform very well on clay soil types
- Very strong *phytophthora* and white mould tolerance
- SCN (PI88788) + great SDS tolerance

Management Pointers

Position where you need a strong defensive package

Prefers 15" to 30" spacing

Good performance in all types of tillage



Xtendflex variety with great offensive and defensive traits

Phytophthora: Rps 1c/3a
SCN: Resistant (PI88788)
BSR: Medium Resistance

Standability

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Sclerotinia tolerance

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Stability – adaptability

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Vigour for no-till

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Adaptability to 30" spacing

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

Semi-bushy
Medium-tall



Prograin[®] in numbers

25 new variety assessment sites
in 3 provinces

44 years
of soybean expertise

100
employees


Export to
16 countries

100%
passionate
about soy

VARIETY	CHU (RM)	RPS	SCN	‡	PROTEIN	∫	S/KG	△	S/HA	BAGS/HA	S/M	S/LB	△	S/AC	BAGS/AC	S/FT
LISKA	2400 (00.3)	∅	▲	●	46%	■	5000	7	550 000	5,00	9,6	2268	7	222 672	2,02	2,9
							5500	15	500 000	4,55	18,8	2494	15	202 429	1,84	5,3
KOA	2475 (00.8)	1c	▲	●	43%	■	4400	7	550 000	5,00	9,6	1995	7	222 672	2,02	2,9
							4800	15	500 000	4,55	18,8	2177	15	202 429	1,84	5,3
MAYA	2475 (00.7)	1c	▲	●	45%	■	5600	7	550 000	5,00	9,6	2540	7	222 672	2,02	2,9
							6400	15	500 000	4,55	18,8	2902	15	202 429	1,84	5,3
NALA	2550 (0.0)	1c	▲	●	43%	■	4500	7	550 000	5,00	9,6	2041	7	222 672	2,02	2,9
							5100	15	500 000	4,55	18,8	2313	15	202 429	1,84	5,3
HANA Organic	2575 (0.1)	∅	▲	●	44%	■	4700	7	550 000	5,00	9,6	2132	7	222 672	2,02	2,9
							5500	15	500 000	4,55	18,8	2494	15	202 429	1,84	5,3
								30	500 000	4,55	37,5		30	202 429	1,84	11,4
ALYNATTO	2650 (0.5)	∅	▲	●	40%	■	11500	7	540 000	2,08	9,5	5215	7	218 623	0,84	2,9
							12500	15	515 000	1,98	19,3	5669	15	208 502	0,80	5,5
HOLA	2675 (0.5)	1c/3a	▲	●	44%	■	4400	7	500 000	5,00	8,8	1995	7	202 429	2,02	2,7
							5000	14	475 000	4,75	16,6	2268	14	192 308	1,92	5,1
								30	400 000	4,00	30,0		30	161 943	1,62	9,1
AYA Organic	2675 (0.5)	3a	▲	●	45%	■	4200	7	500 000	4,55	8,8	1905	7	202 429	1,84	2,7
							5000	15	475 000	4,32	17,8	2268	15	192 308	1,75	5,1
								30	400 000	3,64	30,0		30	161 943	1,47	9,1
QUENATTO	2700 (0.6)	∅	▲	●	40%	■	10500	7	540 000	2,08	9,5	4762	7	218 623	0,84	2,9
							11500	15	515 000	1,98	19,3	5215	15	208 502	0,80	5,5
BLACK GOLD	2750 (0.8)	NT	▲	NT	41%	■	4100	7	490 000	4,45	8,6	1859	7	198 381	1,80	2,6
							4400	15	475 000	4,32	17,8	1995	15	192 308	1,75	5,1
HAKATA	2750 (0.9)	1c	▲	●	45%	■	4000	15	475 000	4,75	17,8	1814	15	192 308	1,92	5,1
							4600	30	370 000	3,70	27,8	2086	30	149 798	1,50	8,5
MARULA Organic	2700 (0.6)	1c	▲	●	42%	■	4000	7	500 000	4,55	8,8	1814	7	202 429	1,84	2,7
							5500	15	475 000	4,32	17,8	2494	15	192 308	1,75	5,4
								30	400 000	3,64	30,0		30	161 943	1,47	9,1
EZRA	2725 (0.8)	3a	▲	●	39%	■	4600	15	475 000	4,32	17,8	2086	15	192 308	1,75	5,4
							5500	30	370 000	3,36	27,8	2494	30	149 798	1,36	8,5
WILMA	2750 (0.8)	1c/3a	▲	●	41%	■	4800	15	475 000	4,32	17,8	2177	15	192 308	1,75	5,4
							5500	30	370 000	3,36	27,8	2494	30	149 798	1,36	8,5
ACUNA	2775 (0.9)	1c	▲	●	42%	■	4700	7	500 000	4,55	8,8	2132	7	202 429	1,84	2,7
							5200	15	475 000	4,32	17,8	2358	15	192 308	1,75	5,4
MYA	2825 (1.2)	1c	●	●	42%	■	4400	15	475 000	4,32	17,8	1995	15	192 308	1,75	5,4
							5000	30	370 000	3,36	27,8	2268	30	149 798	1,36	8,5
ATENA Organic	2825 (1.2)	1c/3a	▲	●	43%	■	4000	15	475 000	4,32	17,8	1814	15	192 308	1,75	5,4
							5000	30	370 000	3,36	27,8	2268	30	149 798	1,36	8,5
ZETA	2875 (1.3)	1c	●	●	43%	■	4500	15	475 000	4,32	17,8	2041	15	192 308	1,75	5,4
							5300	30	370 000	3,36	27,8	2404	30	149 798	1,36	8,5
SIENA	3100 (2.3)	∅	●	●	42%	■	5500	15	475 000	4,32	17,8	2494	15	192 308	1,75	5,4
							6000	30	370 000	3,36	27,8	2721	30	149 798	1,36	8,5

LEGEND

VARIETY



△ Recommended row spacing in inches
 S KG Seeds
 HA Hectare
 M Linear metre
 LB Pound
 AC Acre
 FT Linear foot
 SCN Soybean cyst Nematode

SDS Soybean Death Syndrome
 BSR Brown Stem Rot
 ‡ Stem Canker
 † GNT Good natural tolerance
 MS Medium Sensitive
 MR Medium Resistant
 ∅ None

NT Non tested
 ● Resistant
 ● Sensitive
 N NEW
 PUBESCENCE
 COLOR
 Light Brown
 Brown
 Grey



SEEDS PER SAC

Qualipro and IP	110 000 SEEDS
Hola and Hakata	100 000 SEEDS
Konatto, Alynatto and Quenatto	260 000 SEEDS
All GMO'S	140 000 SEEDS

VARIETY	CHU (RM)	RPS	SCN	SDS	BSR	‡	PROTEIN	∫	S/KG	△	S/HA	BAGS/HA	S/M	S/LB	△	S/AC	BAGS/AC	S/FT
ELMO E3	2475 (00.7)	1a	●	NT	MS		39%	■	6600	7	525 000	3,75	9,2	2993	7	212 551	1,52	2,8
									7100	15	495 000	3,54	17,3	3220	15	200 405	1,43	5,3
ENDURO E3	2650 (0.3)	1a/3a	▲	NT	NT		40%	■	5000	7	470 000	3,36	8,2	2268	7	190 283	1,36	2,5
									5600	15	450 000	3,21	16,9	2540	15	182 186	1,30	5,1
										30	370 000	2,64	27,8		30	149 798	1,07	8,5
ENYO E3	2750 (0.8)	∅	●	NT	●		41%	■	5800	15	450 000	3,21	16,9	2721	15	182 186	1,30	5,1
									6800	30	370 000	2,64	27,8	3175	30	149 798	1,07	8,5
MIKO R2	2750 (0.8)	1c	▲	NT	▲	●	39%	■	4600	15	420 000	3,00	15,8	2086	15	170 040	1,21	4,8
									5500	30	350 000	2,50	26,3	2494	30	141 700	1,01	8,0
FRESCO R2X	2275 (000.9)	1a	▲	NT	▲	●	40%	■	4200	7	525 000	3,75	9,2	1905	7	212 551	1,52	2,8
									4800	15	495 000	3,54	18,6	2177	15	200 405	1,43	5,7
MERINO R2X	2400 (00.4)	1k	●	NT	●		40%	■	4900	7	525 000	3,75	9,2	2222	7	212 551	1,52	2,8
									5500	15	495 000	3,54	18,6	2345	15	200 405	1,43	5,7
KUDO R2X	2475 (00.6)	BTN	▲	NT	●	●	41%	■	5000	7	500 000	3,57	8,8	2268	7	202 429	1,45	2,7
									5500	15	465 000	3,32	17,4	2494	15	188 259	1,34	5,3
BRONCO R2X	2550 (0.1)	1c/6	▲	NT	●	●	41%	■	4600	7	500 000	3,57	8,8	2086	7	202 429	1,45	2,7
									5300	15	465 000	3,32	17,4	2404	15	188 259	1,34	5,3
RICO R2X	2575 (0.1)	1c	●	NT	NT		40%	■	5700	7	500 000	3,57	8,8	2585	7	202 429	1,45	2,7
									6300	15	465 000	3,32	17,4	2857	15	188 259	1,34	5,3
DONALDO R2X	2600 (0.2)	1c	▲	NT	▲	●	40%	■	5700	7	500 000	3,57	8,8	2585	7	202 429	1,45	2,7
									6300	15	465 000	3,32	17,4	2857	15	188 259	1,34	5,3
AMINO R2X	2700 (0.6)	1c	●	NT	▲		40%	■	4800	7	465 000	3,32	8,1		7	188 259	1,34	2,5
									5200	15	435 000	3,11	16,3	2177	15	176 113	1,26	5,0
										30	380 000	2,71	28,5	2291	30	153 846	1,10	8,7
NANO R2X	2700 (0.6)	3a	●	NT	MR		41%	■	5200	15	420 000	3,00	15,8	2358	15	170 040	1,21	4,8
									6200	30	350 000	2,50	26,3	2812	30	141 700	1,01	8,0
DYNO R2X	2725 (0.7)	1c	●	NT	MR			■	5000	7	475 000	3,39	8,3		7	192 308	1,37	2,5
									5800	15	450 000	3,21	15,8	2268	15	182 186	1,30	5,1
										30	370 000	2,64	27,8	2630	30	149 798	1,07	8,5
PICO R2X	2775 (0.9)	1c	●	MR	MR		39%	■	5500	15	450 000	3,21	16,9	2494	15	182 186	1,30	5,1
									6500	30	370 000	2,64	27,8	2948	30	149 798	1,07	8,5
MERCADO XF	2875 (1.4)	1c/3a	●		MR	●	40%	■	5200	15	420 000	3,00	15,8	2358	15	170 040	1,21	4,8
									6200	30	350 000	2,50	26,3	2812	30	141 700	1,01	8,0

YOUR CALCULATION

- Row spacing: IN
- Target population: S/HA
- Seed size: S/KG
- Number of seeds per bag: S/BAG

METHOD N° 1

$$\frac{\text{S/HA}}{\text{S/BAG}} \rightarrow \text{BAGS/HA}$$

$$\frac{\text{S/BAG}}{\text{S/KG}} \rightarrow \text{KG/BAG}$$

$$\text{BAGS/HA} \times \text{KG/BAG} = \text{KG/HA}$$

METHOD N° 2

$$\frac{\text{S/HA}}{\text{S/KG}} \rightarrow \text{KG/HA}$$

CONVERSION

$$\text{KG/HA} \times 0.89 = \text{LB/AC}$$

Contact us !

prograin@prograin.qc.ca

Telephone : 1 800 817-3732

Fax : 450 469-4547

Florent Pigrée

District Sales Manager,
Eastern Québec

florent.pigree@prograin.qc.ca

Ghislain Décœur, agr.

District Sales Manager,
Eastern Ontario

ghislain.decoeur@prograin.qc.ca

Maxime Gratton, agr.

District Sales Manager,
Western Québec

maxime.gratton@prograin.qc.ca

Cody Lemon, CCA – ON

District Sales Manager,
Western Ontario

cody.lemon@prograin.ca

Philippe Lemaître, agr.

Technical Manager
of Seed production

philippe.lemaitre@prograin.qc.ca

Alexandre Tessier, agr.

Sales Manager,
Eastern Canada

alexandre.tessier@prograin.qc.ca

**145, rang du Bas-de-la-Rivière Nord
Saint-Césaire (Québec) JOL 1T0 CANADA**

The agronomic content of the 2024 Seed Guide was prepared and verified
by agronomists Maxime Gratton, Alexandre Tessier, Cody Lemon et Philippe Lemaître.

Prograin® is a registered trademark of Semences Prograin inc. The Prograin® and Quali-Pro® logos are registered trademarks of Semences Prograin inc. Turbo-N2® is a registered trademark of Semences Prograin inc.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. These products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from these products can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for these products. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with products with Roundup Ready 2 Xtend® soybeans. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED AND APPROVED FOR SUCH USES. Contact the Pest Management Regulatory Agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Roundup Ready 2 Xtend® soybeans contains genes that confer tolerance to glyphosate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your Bayer retailer, refer to the Bayer Technology Use Guide, or call the technical support line at 1-888-283-6847 for recommended Roundup Ready® Xtend Crop System weed control programs.

™Enlist E3 and the Enlist E3 logo are trademarks of the Dow Chemical Company ("Dow") or an affiliated company of Dow. Enlist E3 soybeans were jointly developed by Dow Agrosiences and MS technologies.

  Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready® and XtendFlex® are registered trademarks of Bayer Group. Used under license. Liberty®, LibertyLink™ and LibertyLink logo® are trademarks of BASF. Used under license. Bayer CropScience Inc. is a member of CropLife Canada.

Certified Seed

A guarantee of success.
A guarantee of progress.



**Progress Through
Research**