
Prograin®
2027
Seed Guide
EASTERN CANADA

Grow smarter. Harvest stronger.



The performance of a soybean variety begins long before it reaches the field. It starts years earlier through a sustained commitment to research and development. Backed by the largest private soybean breeding program in Canada, Prograin develops varieties tailored to the needs of growers across Eastern and Western Canada.

At Prograin's Saint-Césaire Research Centre, every stage of variety development takes place under one roof : from creating new genetic lines and conducting agronomic evaluations to laboratory genotyping and food quality testing, including tofu performance. This fully integrated approach enables faster identification of soybean varieties with outstanding yield potential, superior quality, and consistent field performance.

Innovation driving your success

As agriculture continues to evolve, so does our breeding program. Working alongside research partners, Prograin is integrating cutting-edge technologies such as genomic prediction, artificial intelligence, and drone-based imaging to accelerate the identification of superior genetics. These advanced tools enable the analysis of larger datasets with greater precision, helping us develop the next generation of high-performing soybean varieties more efficiently than ever.

Prograin®


QualiPro®
Specialty seeds to increase your profitability

LISKA



2400 CHU (RM 00.3) High Protein

- **Excellent yield potential in its maturity group**
- **A healthy looking plant all season long**
- **Excellent appearance in the field**

Management Pointers

- Plant in fertile well-structured soil
- Prefers seeding in narrow spacing

Row spacing (in.)
7 15

An early season, high-yielding variety that will impress

Phytophthora:
Good natural tolerance
SCN: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
NR



KOA



2475 CHU (RM 00.8)

- **Variety that branches and has excellent standability**
- **Excellent appearance in the field**

Management Pointers

- Good yield in high-density populations
- Prefers 7" to 15" spacing
- Plant in all soil types

Row spacing (in.)
7 15

Variety with impressive stability in early maturity areas

Phytophthora: **Rps 1c**
SCN: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
NR



ALYNATTO



2650 CHU (RM 0.5) Natto

- **High yield potential with high profitability**
- **Adapted to all soil types**
- **Good standability and healthy plant all season long**

Management Pointers

- Pay particular attention to seed drill and combine adjustments
- Sow in approximately 1" deep and roll afterward
- Plant in fertile soil

Row spacing (in.)
7 15

Ultra-high-performing Natto variety offers great stability

Phytophthora: **None**
SCN: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9



This hardy variety dominates agronomically and financially

HANA



2575 CHU (RM 0.1) High Protein

- ✓ **High yield potential and stable year after year**
- ✓ **Robust stem, excellent standability**
- ✓ **Very good Sclerotinia tolerance**

PREFERRED FOR organic PRODUCTION

Medium-short



Semi-Bushy

Phytophthora: **None**
SCN: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Row spacing (in.)
15 30

Management Pointers

Prefers 15" spacing or less, and 30" spacing in organic production

Grow in either conventional or organic crop management systems

Plant in fertile soil



"The most robust variety observed on the market, generating growing interest among both conventional and organic growers since its launch."

Florent Pigrée
District Sales Manager, Eastern Quebec

AYA

2675 CHU (RM 0.5) High Protein



- **Among the best spring emergence in the industry**
- **Rapid vegetative growth is a real advantage in wider rows**
- **A standout in our *Phytophthora* resistance trials**

Management Pointers

Well adapted to all types of spacing

Pay particular attention to very fertile soils and the calibration of the seed drill (large seed)

Row spacing (in.)
7 15 30

High-protein Quali-Pro variety that competes with top-performing IP varieties

Phytophthora: **Rps 3a**
SCN: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9



HOLA

2675 CHU (RM 0.5) High Protein



- **Very productive secondary branches**
- **Strong stem with outstanding standability**
- **Good plant fertility and consistent yield**

PREFERRED FOR organic PRODUCTION

Management Pointers

Prefers 15" spacing

Performs well in all crop management systems

Plant in all soil types

Row spacing (in.)
7 15 30

A variety that will amaze you with its stability and yield

Phytophthora: **Rps 1c/3a**
SCN: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9



QUENATTO

2700 CHU (RM 0.6) Natto



- **Most economical seed on the market**
- **Medium-tall plant, with good stem and excellent standability**
- **Stable performance since its introduction**

Management Pointers

Plant in fertile, well-structured soil

Sow 1" deep

Pay particular attention to seed drill and combine adjustments

Row spacing (in.)
7 15

Superior Natto-type yield

Phytophthora: **None**
SCN: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9



BLACK SOYBEAN



2750 CHU (RM 0.8)

- **Medium-tall plant best suited for 15" rows or less**
- **Yield similar to a Natto type**
- **Very exciting marketing program**

Management Pointers

- Sow in well-structured, well-drained soil
- Monitor seeding depth, aim for 1"
- Pay careful attention to cleaning the seeder and combine
- Prefers intensive crop management

Row spacing (in.)
7 15

Black seed coat and green pulp: a variety unique to Canada

Phytophthora: **NT**
SCN: **Sensitive**

Standability
1 **2** **3** **4** **5** **6** **7** 8 9

Sclerotinia tolerance
1 **2** **3** **4** **5** **6** **7** 8 9

Stability – adaptability
1 **2** **3** **4** **5** **6** **7** 8 9

Vigour for no-till
1 **2** **3** **4** **5** **6** **7** 8 9

Adaptability to 30" spacing
1 **2** **3** **4** **5** **6** **7** 8 9



HAKATA



2750 CHU (RM 0.9) Tofu

- **Good size plant, well adapted to 30" spacing**
- **Good standability and good spring start**
- **Profitable yield and marketing program**

Management Pointers

- Plant in fertile, well-drained soil
- Sow 1.5" deep
- Pay particular attention to seed drill calibration and performance (large seed)

Row spacing (in.)
15 30

Leading variety on export markets for tofu production

Phytophthora: **Rps 1c**
SCN: **Sensitive**

Standability
1 **2** **3** **4** **5** **6** **7** **8** 9

Sclerotinia tolerance
1 **2** **3** **4** **5** **6** **7** **8** 9

Stability – adaptability
1 **2** **3** **4** **5** **6** **7** 8 9

Vigour for no-till
1 **2** **3** **4** **5** **6** **7** **8** 9

Adaptability to 30" spacing
1 **2** **3** **4** **5** **6** **7** **8** 9



RESEARCH

Soybean breeding is at the heart of everything we do at Prograin. By combining the expertise of our people, state-of-the-art facilities, and advanced technologies, we develop high-performing soybean varieties that help growers maximize their success.

CLUB

Quali-Pro®

Join the growers who grow excellence.

Founded in 2014, the Quali-Pro Club brings together passionate growers who share a common goal: producing exceptional conventional soybeans. Join a community that recognizes the dedication and expertise of growers who plant and harvest Quali-Pro varieties.

Grow smarter
means sharing best practices.

Harvest stronger
means reaping the benefits, together.



Quali-Pro Club Benefits

In addition to helping feed millions of people around the world, qualifying for the Quali-Pro Club gives you access to a range of exclusive benefits:

- **Priority access to new soybean varieties developed by Prograin**
- **Recognition events and exclusive access to select Prograin events**
- **Technical training, profitability workshops focused on maximizing the value of Quali-Pro varieties, and much more**

High Oleic Soybeans

Prograin's High Oleic soybean varieties, developed for dairy cow feed, have been genetically enhanced to contain a significantly higher proportion of **OLEIC ACID** (monounsaturated fatty acid) in their oil, ranging from 70 to 80%, compared to about 20% in conventional soybeans.

Nutritional Benefits and Impact on Dairy Production

- **Lower levels of polyunsaturated fatty acids**, helping reduce the risk of milk fat depression, as these fatty acids can interfere with normal rumen fermentation.
- **Higher oleic acid content**, a fatty acid that is much less disruptive to rumen function, allowing greater inclusion of soybeans in dairy rations without compromising rumen health.
- **Improved milk fat test and increased fat yield**, with trials demonstrating higher milk fat percentages and greater kilograms of milk fat produced compared with conventional soybeans.

** The information in this document does not constitute agronomic recommendations. Talk to your nutrition advisor about including Akila HO in your ration.*

Potential for additional annual income by incorporating HO soybeans into dairy cow feed

Increase in fat production **(0,1 kg / cow / day)***		
Number of cows in the herd	**50**	**100**
Additional quota produced per day	**5 kg**	**10 kg**
Additional potential annual income	**36 500 $**	**73 000 $**
Potential herd reduction for a same quota (average yield 1,4 kg / cow / day)	**3,6 fewer cows**	**7,2 fewer cows**

* The increase of 0.1 kg of fat per cow per day comes from the study by Weld and Armentano (2018).



PR26HO2750 NEW



2750 CHU (RM 0.9) HO

- **A high-oleic oil soybean variety that could be used to improve your rumen health**
- **Nice upright growth with stable performance**
- **Excellent protein source with 42%**

Management Pointers

Plant in all soil types

Prefers 15 spacing

Row spacing (in.)
15 30

Increase your protein and energy on-farm self sufficiency by feeding this high oleic variety to your herd!

Phytophthora: **Rps 1c**
SCN: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 (9)

Stability – adaptability
1 2 3 4 5 6 7 8 (9)

Vigour for no-till
1 2 3 4 5 6 7 8 (9)

Adaptability to 30" spacing
1 2 3 4 5 6 7 (8) (9)



AKILA HO



2800 CHU (RM 1.0) HO

- **A high-oleic oil soybean variety perfect for feeding on farm**
- **Attractive upright growth habit**
- **Great performance in all soil types**
- **Excellent source of protein with 42%**

Management Pointers

Prefers 15" spacing

Meet the recommended population

Row spacing (in.)
15 30

Variety offering oil with an improved fatty acid profile

Phytophthora: **Rps 1c**
SCN: **PI88788**

Standability
1 2 3 4 5 6 7 8 (9)

Sclerotinia tolerance
1 2 3 4 5 6 7 8 (9)

Stability – adaptability
1 2 3 4 5 6 7 (8) (9)

Vigour for no-till
1 2 3 4 5 6 7 8 (9)

Adaptability to 30" spacing
1 2 3 4 5 6 7 (8) (9)





First-class profitability



Our IP seed line ranks among the best according to results from the Réseau Grandes Cultures du Québec (RGCQ) and the Ontario Soybean Variety Trials (OSVT).

MARULA



2700 CHU (RM 0.6)

- **Healthy plant all season long**
- **Offers stability and performance in all environments**

Management Pointers

- Plant in all soil types
- Grows in any crop management system (Very popular with organic growers)
- Prefers 15" spacing, and 30" in organic production only

Row spacing (in.)
7 15 30

PREFERRED FOR organic PRODUCTION

In high demand since its introduction and prized for its great stability

Phytophthora: **Rps 1c**
SCN: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 (9)

Stability – adaptability
1 2 3 4 5 6 7 8 (9)

Vigour for no-till
1 2 3 4 5 6 7 8 (9)

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 (9)



WILMA



2750 CHU (RM 0.8)

- **Top variety at the RGCQ and OSACC for the last 4 years**
- **Variety offers surprising ground coverage in 15" and wide rows**
- **Suitable for all types of soil**

Management Pointers

- Reduce populations in light and fertile soils
- Plant in all soil types
- Prefers 15" to 30" spacing

Row spacing (in.)
15 30

Dominant variety in its maturity zone

Phytophthora: **Rps 1c/3a**
SCN: **Sensitive**

Standability
1 2 3 4 5 6 7 (8) (9)

Sclerotinia tolerance
1 2 3 4 5 6 7 8 (9)

Stability – adaptability
1 2 3 4 5 6 7 8 (9)

Vigour for no-till
1 2 3 4 5 6 7 8 (9)

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 (9)



AZOYA

NEW



2750 CHU (RM 0.9)

- **Excellent natural tolerance to *Phytophthora*, highest rating in 2025 trials**
- **Strong plant vigor with excellent standability**

Management Pointers

- Plant in all soil types
- Prefers 15 to 30 spacing
- Good yield in lower density populations

Row spacing (in.)
15 30

The new variety replacing Ezra with higher protein and superior performance

Phytophthora:
Good field tolerance
SCN: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 (9)

Stability – adaptability
1 2 3 4 5 6 7 8 (9)

Vigour for no-till
1 2 3 4 5 6 7 8 (9)

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 (9)



Superior agronomic performance and sought-after nutritional qualities

ATENA



2825 CHU (RM 1.2)

- ✓ **High yield potential**
- ✓ **Bushy plant with excellent branching capacity**
- ✓ **Stable height, regardless of soil type and fertility**

PREFERRED FOR organic PRODUCTION

Medium court



Semi-Bushy

Management Pointers

Plant in fertile soil

Prefers 15" to 30" spacing, and 15" in minimum and no-till

Plant in its relative maturity zone

Phytophthora: **Rps 1c/3a**
SCN: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Row spacing (in.)
15 — **30**



« The variety that has gotten people talking thanks to its excellent performance in Western Montérégie. »

Ghislain Décœur, agr.
District Sales Manager, Eastern Ontario

YOUR NON-GMO SOYBEANS COULD TAKE YOU FAR



Prograin is giving 20 growers the opportunity to experience an unforgettable adventure. The destination? That's still a secret.

One thing is certain: you won't want to miss this trip.

How do you earn points?

Every unit of IP or Quali-Pro seed you purchase brings you one step closer to the next Destination IP.
Stay tuned for clues along the way. Your next destination is waiting.

To learn more and see the complete contest rules, visit prograin.ca/en/contest/ or contact your Prograin representative.



An offensive and defensive bean combined with high protein to ensure profitability on your farm!

LUMA*

NEW



2925 CHU (RM 1.5)

*Pending registration

- ✓ **Offers great standability paired with the ability to branch out and fill wider rows**
- ✓ **Exceptional defensive package combining SCN tolerance and Rps 1c/3a for *Phytophthora* to give you peace of mind**
- ✓ **A maturity well suited for Southwestern Ontario growers looking to maximize yield potential and profit on their farm**

Medium-tall



Semi-Bushy

Management Pointers

Plant in its relative maturity zone
Good yield at average seeding rates
Well adapted to conventionnal till

Phytophthora: **Rps 1c/3a**
SCN: **PI88788**

Standability
❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾

Sclerotinia tolerance
❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ⑨

Stability – adaptability
❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾

Vigour for no-till
❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ⑨

Adaptability to 30" spacing
❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ⑨

SCN PROTECTION

Row spacing (in.)
14 — **30**



"From emergence to harvest, Luma provides the complete package for success in Southwestern Ontario soybean production."

Cody Lemon, CCA
District Sales Manager, Western Ontario

VARIETIES DESIGNED TO PERFORM IN SOUTHWESTERN ONTARIO.

Performance starts with genetics developed for your specific conditions. Selected and tested under the conditions of Southwestern Ontario, these varieties are designed to reach their full potential in your fields.

Results that make a difference, year after year.

ZETA



2875 CHU (RM 1.3)

- **Top performer in OSACC Maturity Group 1 trials (3-year data)**
- **SCN resistance to give you peace of mind**
- **Robust plant that branches out even in heavier soil types**

Management Pointers

- Prefers 15" to 30" spacing
- Plant in all soil types
- Well adapted to all tillage systems
- Reduce populations in light and fertile soils

SCN PROTECTION

Row spacing (in.)
15 30

Consistently strong performance year over year

Phytophthora: **Rps 1c**
SCN: **PI88788**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9



SIENA



3100 CHU (RM 2.3)

- **High yielding variety well suited for later maturing areas in Southwestern Ontario**
- **SCN resistance to give you peace of mind**
- **Excellent agronomic appearance in the field**

Management Pointers

- Plant in all soil types
- Meet recommended populations
- Pay particular attention to poorly drained soils
- Performs well in intensive crop management (good response to foliar fungicides)

SCN PROTECTION

Row spacing (in.)
15 30

You won't find a higher yielding IP variety in Southwestern Ontario

Phytophthora:
Good field tolerance
SCN: **PI88788**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9





Enlist™

Flexibility and efficiency in weed management

ELMO E3



2475 CHU (RM 00.7)

- **Very good yield potential for its maturity group**
- **Remarkably vigorous start**

Management Pointers

- Plant in all soil types
- Prefers 15" spacing or less

SCN PROTECTION

Row spacing (in.)
7 15

Enlist E3 variety with high performance in its maturity zone

Phytophthora: **Rps 1a**
SCN: **PI88788**
BSR: **Medium sensitive**

Standability
❶ ❷ ❸ ❹ ❺ ❻ ❼ ⑧ ⑨

Sclerotinia tolerance
❶ ❷ ❸ ❹ ❺ ❻ ❼ ⑧ ⑨

Stability – adaptability
❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ⑨

Vigour for no-till
❶ ❷ ❸ ❹ ❺ ❻ ❼ ⑧ ⑨

Adaptability to 30" spacing
NR



ENDURO E3



2650 CHU (RM 0.3)

- **Tall, robust stem creates attractive field appearance**
- **Excellent spring vigour makes this a strong option for no-till**
- **RPS 1a/3a genes provide very good *Phytophthora* resistance**

Management Pointers

- Plant in all soil types
- Prefers 15" to 30" spacing
- Well adapted to no-till

Row spacing (in.)
15 30

This variety provides excellent agronomic performance

Phytophthora: **Rps 1a/3a**
SCN: **Sensitive**

Standability
❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ⑨

Sclerotinia tolerance
❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ⑨

Stability – adaptability
❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾

Vigour for no-till
❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾

Adaptability to 30" spacing
❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ⑨



ENRICO E3

NEW



2650 CHU (RM 0.4)

- **Strong perfromance on heavy textured soils**
- **Strong white mold tolerance**
- **Strong agronomic package**

Management Pointers

Positionner dans tous les types de sols

Bien adapté au travail minimum du sol et au semis direct

Vigueur printanière au-dessus de la moyenne

Row spacing (in.)
7 15 30

SCN PROTECTION

Variety to unlock the full potential of your acres

Phytophthora: **Rps 1c**
SCN: **PI88788**
BSR: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 (9)

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 (9)



ELITO E3

NEW



2725 CHU (RM 0.8)

- **Excellent disease package with Rps 1k and SCN**
- **Good upright branching with great standabiliity**
- **Really competitive yield**

Management Pointers

Plant in all soil types

Prefers 15" spacing

Row spacing (in.)
7 15 30

SCN PROTECTION

Variety with excellent standability in all soil types

Phytophthora: **Rps 1k**
SCN: **PI88788**
BSR: **Tolerant**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 (9)

Stability – adaptability
1 2 3 4 5 6 7 8 (9)

Vigour for no-till
1 2 3 4 5 6 7 (8) (9)

Adaptability to 30" spacing
1 2 3 4 5 6 7 (8) (9)



ENYO E3



2750 CHU (RM 0.8)

- **Excellent vigour and emergence**
- **Outstanding stress tolerance**
- **Good standability**

Management Pointers

Plant in all soil types

Prefers 30" spacing

Well adapted to no-till
or conventional tillage

Row spacing (in.)
15 30

SCN PROTECTION

Enlist E3 variety with consistent yield potential

Phytophthora: **None**
SCN: **PI88788**
BSR: **Resistant**

Standability
1 2 3 4 5 6 7 8 (9)

Sclerotinia tolerance
1 2 3 4 5 6 7 (8) (9)

Stability – adaptability
1 2 3 4 5 6 7 8 (9)

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9



Enlist variety offering growers flexibility in their weed control program

AMBRO E3



NEW

2850 CHU (RM 1.2)

- ✓ **Prograin's first variety with Peking SCN resistance**
- ✓ **Tall variety with good standability**
- ✓ **Competitive yield potential in the Enlist market**

Management Pointers

Plant in loamy soil

Well adapted to conventional tillage

Performs well in intensive crop management (good response to foliar fungicides)

Phytophthora: **Rps 1k**
SCN: **Peking**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9

Medium-tall



Semi-Bushy

SCN PROTECTION

Row spacing (in.)
15 30



"This variety offers excellent yield potential combined with Peking NKS protection."

Alexandre Tessier, agr.
Sales Manager, North America

HIGH YIELDS AND CLEAN FIELDS.



High yields and clean fields. Choose Enlist E3™ soybeans. For control of tough weeds, Enlist™ herbicides offer choice and tank mix flexibility.
Enlist E3 soybeans. The best in beans. Period.



Enlist™ weed control system

™ ® Trademarks of Corteva Agriscience and its affiliated companies. © 2025 Corteva


ROUNDUP READY 2
XTEND
SOYBEANS
Consistent yield performance year after year

NORCO R2X NEW



2325 CHU (RM 00.1)

A variety that stands out for its consistency and strong agronomic qualities in early-maturity zones!

- **Early-maturing variety with strong yield potential**
- **Very attractive field appearance**
- **Excellent variety that successfully combines both strong offensive and defensive traits**

Management Pointers

- Plant in all soil types
- Well adapted to conventionnal tillage
- Prefers 15" spacing or less

SCN PROTECTION

Row spacing (in.)
7 14

Phytophthora: **Rps 1k**
SCN: **PI88788**
BSR: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9



RYNO R2X



2350 CHU (RM 00.2)

An early-maturing variety with high yield potential

- **Strong yield potential**
- **Offensive variety that is well adapted to different regions**
- **Good stability**

Management Pointers

- Prefers 15" spacing or less
- Well adapted to conventional tillage
- Performs well in intensive crop management (good response to foliar fungicides)

Row spacing (in.)
7 15

Phytophthora: **Rps 1c**
SCN: **Sensitive**
BSR: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
NR



MERINO R2X



2400 CHU (RM 00.4)

Variety with good defensive traits

- **Very good yield potential for its maturity group**
- **Excellent standability in all growing conditions**

Management Pointers

- Prefers 15" spacing or less
- Well suited to no-till (above average)

SCN PROTECTION

Row spacing (in.)
7 15

Phytophthora: **Rps 1k**
SCN: **PI88788**
BSR: **Resistant**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
NR



NEXO R2X

NEW



2475 CHU (RM 00.7)

- **An excellent variety for heavy soils**
- **Very strong yield potential within its maturity group**

Management Pointers

- Pay particular attention to very fertile soils
- Plant in loamy and clay soil
- Prefers 15" spacing or less

SCN PROTECTION

Row spacing (in.)
7 15

A variety that stands out for its defensive traits and strong adaptability

Phytophthora: **Rps 1c**
SCN: **PI88788**
BSR: **Medium sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
NR



TANGO R2X



2525 CHU (RM 00.9)

- **Very good yield potential in early maturity zones**
- **Good field appearance**
- **Excellent yield potential in high population environments**
- **Variety adapted to all growing conditions**

Management Pointers

- Plant in fertile soil
- Prefers 15" spacing or less
- Grows in any crop management system

Row spacing (in.)
7 15

Its explosive yield makes it a top choice

Phytophthora: **Rps 3a**
SCN: **Sensitive**
BSR: **Medium Resistance**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
NR



BRONCO R2X



2550 CHU (RM 0.0)

- **Excellent standability in all growing conditions**
- **Very good *Sclerotinia* tolerance**
- **Presence of Rps 6 gene gives this variety elite protection against *Phytophthora***

Management Pointers

- Plant in all soil types
- Prefers 15" spacing or less

Row spacing (in.)
7 15

Top yield leading variety

Phytophthora: **Rps 1c/6**
SCN: **Sensitive**
BSR: **Resistant**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9



#1 FARMERS SHOULDN'T USE A #2 SYSTEM

Why settle for the runner-up when you could have **Roundup Ready® Xtend Crop System**, the #1 grown soybean system in Canada*? It's the only system that combines the high yield potential of Roundup Ready 2 Xtend® soybeans with built-in tolerance to both glyphosate and dicamba chemistries.

Applying the higher rate of Roundup Xtend®2 with VaporGrip® Technology in your first pass provides short-term residual activity on small-seeded broadleaves** with the added ability to effectively manage resistance concerns.

STAY AHEAD OF WEEDS WITH THE EARLY SEASON CONTROL OF CANADA'S #1 GROWN SOYBEAN SYSTEM.
traits.bayer.ca »

*Based on market research conducted by Stratus Ag Research in 2022 with Canadian soybean growers.

**Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on the growers' fields.

Always read and follow insect resistance management requirements (where applicable), grain marketing and all other stewardship practices and pesticide label directions. **Scan the QR code or visit cropscience.bayer.ca/product-legal to review important stewardship and product information including regulatory status, grain marketing requirements, herbicide and insect tolerance, pesticide use and product trial results.**

Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready® and XtendFlex® are registered trademarks of Bayer Group. Used under license. LibertyLink® and LibertyLink® logo are registered trademarks of BASF. Used under license. ©2025 Bayer Group. All rights reserved.

Roundup Ready 2 YIELD TECHNOLOGY

LIBERTY LINK

BAYER

ROUNDUP READY® XTEND CROP SYSTEM

ROUNDUP READY 2 XTEND SOYBEANS + Roundup XTEND 2 with VaporGrip Technology

RICO R2X



2575 CHU (RM 0.1)

- **Excellent yield potential**
- **Superior standability in the field**
- **Very good *Sclerotinia* tolerance**

Management Pointers

- Grows in any crop management system
- Plant in fertile soil
- Prefers 20" spacing or less

Row spacing (in.)
7 15 20

SCN PROTECTION

Combination of performance and resistance to common soybean diseases

Phytophthora: **Rps 1c**
SCN: **PI88788**
BSR: **Sensitive**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 (9)

Vigour for no-till
1 2 3 4 5 6 7 8 (9)

Adaptability to 30" spacing
1 2 3 4 5 6 7 (8) (9)



NANO R2X



2700 CHU (RM 0.6)

- **Excellent *Phytophthora* resistance**
- **Variety robust under adverse conditions**
- **Rapid canopy closure and vigorous vegetative growth**

Management Pointers

- Well adapted to minimum tillage and no-till systems
- Performs well with intensive crop management
- Reduce populations in fertile environments

Row spacing (in.)
15 30

SCN PROTECTION

The leader of the pack for its performance and yield potential

Phytophthora: **Rps 3a**
SCN: **PI88788**
BSR: **Medium resistance**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 (8) (9)

Stability – adaptability
1 2 3 4 5 6 7 8 (9)

Vigour for no-till
1 2 3 4 5 6 7 8 9

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 (9)



PR26X2700* NEW



2700 CHU (RM 0.7)

- **Very strong yield potential within its maturity group**
- **Consistent performance across different environments**

Management Pointers

- Plant in all soil types
- Reduce populations in high potential yield environments
- Well adapted to no-till

Row spacing (in.)
7 15 30

SCN PROTECTION

High yield potential for this new variety

Phytophthora: **Rps 3a**
SCN: **PI88788**
BSR: **Tolerant**

Standability
1 2 3 4 5 6 7 (8) (9)

Sclerotinia tolerance
1 2 3 4 5 6 7 8 (9)

Stability – adaptability
1 2 3 4 5 6 7 8 (9)

Vigour for no-till
1 2 3 4 5 6 7 8 (9)

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 (9)



*Pending registration

This variety continues to be one of the best R2X varieties on the market

DYNO R2X



2750 UTM (RM 0.8)

- ✓ **Consistently one of the top-yielding varieties in provincial trials in both Ontario and Quebec**
- ✓ **Above average tolerance to *Phytophthora* and white mould**
- ✓ **Has excellent standability in high population environments**

Medium-tall



Semi-Bushy

Management Pointers

Plant in fertile soil

Prefers 15" to 30" spacing

Phytophthora: **Rps 1c**
SCN: **PI88788**
BSR: **Medium resistance**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 (9)

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 (9)

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 (9)

SCN PROTECTION

Row spacing (in.)
15 30



"DYNO R2X is the GMO benchmark growers can rely on with confidence. Its yield potential and consistency make it a winning choice, year after year, whatever the conditions."

Benjamin Geffroy
District Sales Manager, Western Quebec

PICO R2X



2725 CHU (RM 0.7)

- **Very good *Sclerotinia* tolerance**
- **Good performance in various soil fertility conditions**
- **Stable and defensive variety with excellent standability**

Management Pointers

- Prefers 15" spacing or more
- Plant in all soil types
- Pay particular attention to clay soils and no-till

Row spacing (in.)
15 – 30

SCN PROTECTION

A variety combining superior performance with defensive traits

Phytophthora: **Rps 1c**
SCN: **PI88788**
BSR: **Medium Resistance**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 9

Stability – adaptability
1 2 3 4 5 6 7 8 9

Vigour for no-till
1 2 3 4 5 6 7 8 (9)

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 (9)



JUNO XF* NEW



2800 CHU (RM 1.0) XTENDFLEX SOYBEANS

- **A tall variety with above average standability**
- **Exceptional defensive package including abover average white mould and SDS tolerance to help manage high risk acres**
- **High yield potential variety that has no problem competing with other popular varities in its maturity zone**

Management Pointers

- Pay particular attention to clay soils and no-till
- Plant in an environment where you need strong protection

Row spacing (in.)
14 – 30

SCN PROTECTION

An offensive and defensive Xtendflex® variety that will provide you flexibility on your farm!

Phytophthora: **Rps 1c**
SCN: **PI88788**
BSR: **Resistant**

Standability
1 2 3 4 5 6 7 8 9

Sclerotinia tolerance
1 2 3 4 5 6 7 8 (9)

Stability – adaptability
1 2 3 4 5 6 7 8 (9)

Vigour for no-till
1 2 3 4 5 6 7 (8) (9)

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 (9)



*Pending registration

MERCADO XF



2875 CHU (RM 1.4) XTENDFLEX SOYBEANS

- **Excellent performance in clay soil types**
- **Very strong *Phytophthora* and white mould tolerance**
- **SCN (PI88788) + great SDS tolerance**

Management Pointers

- Position where you need a strong defensive package
- Prefers 15" to 30" spacing
- Good performance in all types of tillage

Row spacing (in.)
7 – 15 – 30

SCN PROTECTION

XtendFlex® variety with great offensive and defensive traits

Phytophthora: **Rps 1c/3a**
SCN: **PI88788**
BSR: **Medium resistance**

Standability
1 2 3 4 5 6 7 8 (9)

Sclerotinia tolerance
1 2 3 4 5 6 7 8 (9)

Stability – adaptability
1 2 3 4 5 6 7 8 (9)

Vigour for no-till
1 2 3 4 5 6 7 8 (9)

Adaptability to 30" spacing
1 2 3 4 5 6 7 8 9




Prograin
Grow smarter
Harvest
stronger.

	VARIETY	CHU (RM)	RPS	SCN	‡	PROTEIN	∫	S/KG	△	S/HA	BAGS/ HA	S/M	S/LB	△	S/AC	BAGS/ AC	S/FT
	LISKA	2400 (00.3)	ø	▲	●	46 %	■	5000 5500	7	550 000	5,00	9,6	2268 2494	7	222 672	2,02	2,9
									15	500 000	4,55	18,8		15	202 429	1,84	5,7
	KOA	2475 (00.8)	1c	▲	●	42 %	■	4400 4800	7	550 000	5,00	9,6	1995 2177	7	222 672	2,02	2,9
									15	500 000	4,55	18,8		15	202 429	1,84	5,7
	HANA Organic	2575 (0.1)	ø	▲	●	44 %	■	4700 5500	7	550 000	5,00	9,6	2132 2494	7	222 672	2,02	2,9
									15	500 000	4,55	18,8		15	202 429	1,84	5,7
									30	500 000	4,55	37,5		30	202 429	1,84	11,4
	ALYNATTO	2650 (0.5)	ø	▲	●	40 %	■	11500 12500	7	540 000	2,08	9,5	5215 5669	7	218 623	0,84	2,9
									15	515 000	1,98	19,3		15	208 502	0,80	5,9
	AYA	2675 (0.5)	3a	▲	●	44 %	■	4200 5000	7	500 000	4,55	8,8	1905 2268	7	202 429	1,84	2,7
									15	475 000	4,32	17,8		15	192 308	1,75	5,4
									30	400 000	3,64	30,0		30	161 943	1,47	9,1
	HOLA Organic	2675 (0.5)	1c/3a	▲	●	44 %	■	4400 5000	7	500 000	5,00	8,8	1995 2268	7	202 429	2,02	2,7
									15	475 000	4,75	17,8		15	192 308	1,92	5,4
									30	400 000	4,00	30,0		30	161 943	1,62	9,1
	QUENATTO	2700 (0.6)	ø	▲	●	40 %	■	10500 11500	7	540 000	2,08	9,5	4762 5215	7	218 623	0,84	2,9
									15	515 000	1,98	19,3		15	208 502	0,80	5,9
	SOYA NOIR	2750 (0.8)	NT	▲	NA	41 %	■	4100 4400	7	490 000	4,45	8,6	1859 1995	7	198 381	1,80	2,6
									15	475 000	4,32	17,8		15	192 308	1,75	5,4
	HAKATA	2750 (0.9)	1c	▲	●	44 %	■	4000 4600	15	475 000	4,75	17,8	1814 2086	15	192 308	1,92	5,4
									30	370 000	3,70	27,8		30	149 798	1,50	8,5
N	KONA HO	2750 (0.8)				42 %		4800 5300	14	475 000	4,32	16,6	2177 2404	15	192 308	1,75	5,1
									30	370 000	3,36	27,8		30	149 798	1,36	8,5
	AKILA HO	2800 (1.0)	1c	●	NA	42 %	■	4800 5300	15	475 000	4,32	17,8	2177 2404	15	192 308	1,75	5,4
									30	370 000	3,36	27,8		30	149 798	1,36	8,5
	MARULA Organic	2700 (0.6)	1c	▲	●	43 %	■	4000 5500	7	500 000	4,55	8,8	1814 2494	7	202 429	1,84	2,7
									15	475 000	4,32	17,8		15	192 308	1,75	5,4
									30	400 000	3,64	30,0		30	161 943	1,47	9,1
	WILMA	2750 (0.8)	1c/3a	▲	●	40 %	■	4800 5500	15	450 000	4,09	16,9	2177 2494	15	182 186	1,66	5,1
									30	350 000	3,18	26,3		30	141 700	1,29	8,0
N	AZOYA	2750 (0.9)	ø	▲		42 %	■	4500 5200	15	475 000	4,32	17,8	2041 2358	15	192 308	1,75	5,4
									30	370 000	3,36	27,8		30	149 798	1,36	8,5
	ATENA Organic	2825 (1.2)	1c/3a	▲	●	43 %	■	4000 5000	15	475 000	4,32	17,8	1814 2268	15	192 308	1,75	5,4
									30	370 000	3,36	27,8		30	149 798	1,36	8,5
	ZETA	2875 (1.3)	1c	●	●	41 %	■	4500 5300	15	450 000	4,09	16,9	2041 2404	15	182 186	1,66	5,1
									30	350 000	3,18	26,3		30	141 700	1,29	8,0
N	LUMA	2925 (1.5)	1c/3a	●		43 %	■	4200 5500	15	450 000	4,09	16,9	1905 2494	15	182 186	1,66	5,1
									30	350 000	3,18	26,3		30	141 700	1,29	8,0
	SIENA	3100 (2.3)	ø	●	●	41 %	■	5500 6000	15	450 000	4,09	16,9	2494 2721	15	182 186	1,66	5,1
									30	350 000	3,18	26,3		30	141 700	1,29	8,0

LEGEND

VARIETY

NON-GMO

GMO

Organic

△ Recommended row spacing in inches
S Seeds
KG Kilogram
HA Hectare
M Linear metre
LB Pound
AC Acre
FT Linear foot
SCN Soybean cyst Nematode

SDS Soybean Death Syndrome
BSR Brown Stem Rot
‡ Stem Canker
GNT Good natural tolerance
MS Medium Sensitive
MR Medium Resistant
ø None

NT Non tested
● Resistant
▲ Sensitive
N NEW

PUBESCENCE COLOUR ∫
Light Brown ■
Brown ■
Grey ■

SEEDS PER BAG	
Quali-Pro and IP	110 000 SEEDS
Hola and Hakata	100 000 SEEDS
Alynatto and Quenatto	260 000 SEEDS
All GMOs	140 000 SEEDS

	VARIETY	CHU (RM)	RPS	SCN	SMS	BSR	✚	PROTEIN	∫	S/KG	△	S/HA	BAGS/ HA	S/ M	S/LB	△	S/AC	BAGS/ AC	S/ FT
	ELMO E3	2475 (00.7)	1a	●		MS		39 %		6600 7100	7	525 000	3,75	9,2	2993 3220	7	212 551	1,52	2,8
											15	495 000	3,54	18,6		15	200 405	1,43	5,7
	ENDURO E3	2650 (0.3)	1a/3a	▲				40 %		5000 5600	7	470 000	3,36	8,2	2268 2540	15	190 283	1,36	2,5
											15	450 000	3,21	16,9			182 186	1,30	5,1
											30	370 000	2,64	27,8		30	149 798	1,07	8,5
N	ENRICO E3	2650 (0.4)	1c	●	MR	▲				4900 5500	15	470 000	3,36	17,6	2222 2494	15	190 283	1,36	5,4
											30	450 000	3,21	33,8		30	182 186	1,30	10,3
N	ELITO E3	2725 (0.8)	1k	●		●				5700 6300	15	450 000	3,21	16,9	2585 2857	15	182 186	1,30	5,1
											30	370 000	2,64	27,8		30	149 798	1,07	8,5
	ENYO E3	2750 (0.8)	ø	●		●		41 %		5800 6800	15	450 000	3,21	16,9	2630 3084	15	182 186	1,30	5,1
											30	370 000	2,64	27,8		30	149 798	1,07	8,5
N	AMBRO E3	2850 (1.2)	1k	●						4900 5400	15	420 000	3,00	15,8	2222 2449	15	170 040	1,21	4,8
											30	350 000	2,50	26,3		30	141 700	1,01	8,0
N	NORCO R2X	2325 (00.1)	1k	▲						4200 4800	7	525 000	3,75	9,2	1905 2177	7	212 551	1,52	2,8
											15	495 000	3,54	18,6		15	200 405	1,43	5,7
	RYNO R2X	2350 (00.2)	1c	▲	MS	▲				4200 4800	7	525 000	3,75	9,2	1905 2177	7	212 551	1,52	2,8
											15	495 000	3,54	18,6		15	200 405	1,43	5,7
	MERINO R2X	2400 (00.4)	1k	●	NT	●		40 %		4900 5500	7	525 000	3,75	9,2	2222 2494	7	212 551	1,52	2,8
											15	495 000	3,54	18,6		15	200 405	1,43	5,7
N	NEXO R2X	2425 (00.6)	1c	▲		MS				5200 5900	7	500 000	3,57	8,8	2358 2676	7	202 429	1,45	2,7
											15	465 000	3,32	17,4		15	188 259	1,34	5,3
	TANGO R2X	2525 (00.9)	3a	▲	NT	MR				4800 5200	7	500 000	3,57	8,8	2177 2358	7	202 429	1,45	2,7
											15	465 000	3,32	17,4		15	188 259	1,34	5,3
	BRONCO R2X	2550 (0.0)	1c/6	▲		●	●	41 %		5000 6000	7	500 000	3,57	8,8	2268 2721	7	202 429	1,45	2,7
											15	465 000	3,32	17,4		15	188 259	1,34	5,3
	RICO R2X	2575 (0.1)	1c	●				40 %		5500 6500	7	500 000	3,57	8,8	2494 2948	7	202 429	1,45	2,7
											15	465 000	3,32	17,4		15	188 259	1,34	5,3
	NANO R2X	2700 (0.6)	3a	●	NT	MR		41 %		5000 6000	15	420 000	3,00	15,8	2268 2721	15	170 040	1,21	4,8
											30	350 000	2,50	26,3		30	141 700	1,01	8,0
N	MILO R2X	2700 (0.7)	3a	▲		●				5400 6100	15	465 000	3,32	17,4	2449 2766	7	188 259	1,34	5,3
											30	380 000	2,71	28,5		15	153 846	1,10	8,7
	PICO R2X	2725 (0.7)	1c	●	MR	MR		39 %		5500 6500	15	450 000	3,21	16,9	2494 2948	15	182 186	1,30	5,1
											30	370 000	2,64	27,8		30	149 798	1,07	8,5
	DYNO R2X	2750 (0.8)	1c	●	NT	MR				5000 5800	7	475 000	3,39	8,3	2268 2630	7	192 308	1,37	2,5
											15	450 000	3,21	16,9		15	182 186	1,30	5,1
											30	370 000	2,64	27,8		30	149 798	1,07	8,5
N	JUNO XF	2800 (1.0)	1c	▲		●				5000 5700	15	420 000	3,00	15,8	2268 2585	7	170 040	1,21	4,8
											30	350 000	2,50	26,3		15	141 700	1,01	8,0
	MERCADO XF	2875 (1.4)	1c/3a	●		MR	●	40 %		5200 6200	15	420 000	3,00	15,8	2358 2812	7	170 040	1,21	4,8
											30	350 000	2,50	26,3		15	141 700	1,01	8,0

YOUR CALCULATION

❶ Row spacing: _____ IN

❷ Target population: _____ S/HA

❸ Seed size: _____ S/KG

❹ Number of seeds per bag: _____ S/BAG

METHOD N° 1

_____ S/HA
_____ S/BAG → _____ BAGS/HA

_____ S/BAG
_____ S/KG → _____ KG/BAG

_____ BAGS/HA × _____ KG/BAG = _____ KG/HA

METHOD N° 2

_____ S/HA
_____ S/KG → _____ KG/HA

CONVERSION

_____ KG/HA × 0.89 = _____ LB/AC

Prograin®

Ghislain Décœur, agr.
District Sales Manager,
Eastern Ontario
ghislain.decoeur@prograin.qc.ca

Cody Lemon, CCA – ON
District Sales Manager,
Western Ontario
cody.lemon@prograin.ca

Benjamin Geffroy
District Sales Manager,
Western Quebec
benjamin.geffroy@prograin.qc.ca

Florent Pigrée
District Sales Manager,
Eastern Quebec
florent.pigree@prograin.qc.ca

Philippe Lemaître, agr.
Technical Manager
of Seed Production
philippe.lemaitre@prograin.qc.ca

Alexandre Tessier, agr.
Sales Manager,
North America
alexandre.tessier@prograin.qc.ca

The agronomic content of the 2027 Seed Guide was written and reviewed by agronomists Philippe Lemaître, Cody Lemon, and Alexandre Tessier.

prograin.ca

Phone : **1 800 817-3732**

145, rang du Bas-de-la-Rivière Nord
Saint-Césaire (Québec) J0L 1T0 CANADA

Prograin® is a registered trademark of Semences Prograin inc. The Prograin® and Quali-Pro® logos are registered trademarks of Semences Prograin inc. Turbo-N2® is a registered trademark of Semences Prograin inc.

™Enlist E3 and the Enlist E3 logo are ™ ® Trademarks of Corteva Agriscience and its affiliated companies. The transgenic soybean event in Enlist E3™ soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies L.L.C. Enlist Duo™ and Enlist™ 1 are the only 2,4-D products authorized for use with Enlist™ crops. Consult Enlist herbicide labels for weed species controlled. Always read and follow label directions. Not all herbicides are registered for sale or use in all provinces in Canada. Contact your local regulatory agency to determine if a product is registered for sale or use in your area. Always read and follow label directions.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. These products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from these products can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for these products. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with products with Roundup Ready 2 Xtend® soybeans. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED AND APPROVED FOR SUCH USES. Contact the Pest Management Regulatory Agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Roundup Ready 2 Xtend® soybeans contains genes that confer tolerance to glyphosate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. **Dicamba** will kill crops that are not tolerant to dicamba. **Glufosinate** will kill crops that are not tolerant to glufosinate. Contact your Bayer retailer, refer to the Bayer Technology Use Guide, or call the technical support line at 1-888-283-6847 for recommended Roundup Ready® Xtend Crop System weed control programs.

Roundup Ready 2 Yield Technology LIBERTY LINK Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready® and XtendFlex® are registered trademarks of Bayer Group. Used under license. Liberty®, LibertyLink™ and LibertyLink logo® are trademarks of BASF. Used under license. Bayer CropScience Inc. is a member of CropLife Canada.

Certified Seed

A guarantee of success.
A guarantee of progress.

91

Progress Through Research

Since February 27, 2015, all the new varieties having obtained a certificate of plant breeding (VOC) are protected under the new law. These varieties bear the symbol 91.